


DISTRICT EDUCATION OFFICE, BHADRAK
AT-NANGAMAHALLA, PO-BALIORADA
DIST-BHADRAK

Notice No:- 6718 Date:- 12-07-2023

TENDER CALL NOTICE

Sealed quotations are invited from the registered/reputed firm/Authorized supplier/Manufacturer for supply of furniture that means Double seated dual desk, Teachers class room chair, Teachers class room table, Teachers common room chair, teachers common room table, Principal chair, Principal table, Office chair, Office table & welded Almirah to different Odisha Adarsha Vidyalayas of Bhadrak District. The details of the tender (design and specification etc.) may be downloaded from the district website i.e. www.bhadrak.nic.in. The quotation complete in all respect should be submitted to "the District Education Officer, Bhadrak, At-Nangamahalla, Po-Baliorada, Dist- Bhadrak, pin-756100". The quotation should reach this office through register/speed post only latest by dated-24.07.2023.



District Education Officer,
Bhadrak

DISTRICT EDUCATION OFFICE, BHADRAK
AT-NANGAMAHALLA, PO-BALIORADA
DIST-BHADRAK

INVITED TENDER

BID DOCUMENTS FOR SUPPLY OF FURNITURE TO ODISHA ADARSHA VIDYALAYA
OF BHADRAK DISTRICT.


- | | |
|--|------------|
| 1. Terms and conditions | Annexure-A |
| 2. Technical Bid | Annexure-B |
| 3. Financial Bid | Annexure-C |
| 4. Specification of Furniture to be Supplied | Annexure-D |
| 5. E M D | Annexure-E |


District Education Officer,
Bhadrak

ANNEXURE-A

TERMS & CONDITIONS

1. The registered firms/authorized suppliers/manufacturers/EPM rate contract holders/MSME unit may submit tender towards supply of furniture as per Annexure D in the prescribed proforma/format by downloading bid forms and documents from the website www.bhadrak.nic.in. The interested registered firms may either submit tender for all furniture items or any part thereof.
2. Interested bidders are required to procure tender form by submitting a demand draft of Rs 2000/- (Rupees Two Thousand) only (non-refundable) towards cost of tender paper. Interested firms shall attach demand draft of above amount in case they prefer to submit tender by downloading the forms from the website as mentioned above.
3. The bidders shall have to deposit self- attested GST Clearance certificate and IT Return for last three years i.e. 2022-23,2021-22,2020-2021. The firm registration should have validity as on date of application. Original documents of above shall be verified on the date of opening of tender and back.
4. Earnest Money Deposit (EMD) as per Annexure E for each furniture item shall be deposited in shape of Bank draft/ Bankers Cheque drawn from any Nationalized Bank payable at Bhadrak in favour of District Education Officer, Bhadrak.
5. Tender/Tenders shall be rejected on the spot after opening of technical bid, if the same is received without appropriate tender paper, tender paper cost, EMD in appropriate manner. No request/undertaking to that effect shall be entertained.
6. The interested registered bidders are required to submit Technical Bid and Price Bid separately in two separate sealed covers superscripting Technical Bid/Price Bid as the case may be. Both technical Bid and Price Bid envelops shall be inserted into a big envelop superscripting as **Tender Paper for OAVs furniture Items.**
7. The tender shall be received by Registered/Speed post only. No other mode of receipt shall not be entertained at any cost. Authority shall not be held responsible for any type of postal delay.
8. The last date of receipt of tender at office of the District Education Officer, Bhadrak by Regd. Post/ Speed Post is fixed to **24.07.2023 05.30 P.M** On **25.07.2023** the tender papers shall be opened at Collectorate, Bhadrak in presence of District Level purchase and Financial Committee members as well as bidders or his/her authorized person. In case due to unavoidable circumstances the tender was not opened on above date the rescheduled date shall be intimated to the bidders over telephone/cell phone. So they should mention contact numbers on the big envelope containing both envelops.
9. All tender papers are required to be signed by the tenderers with its seal.
10. The bidders are required to display sample of furniture items on the day of opening of price bid. No extra charge shall be payable to the bidders towards transportation (Both side) of sample furniture for display purpose.



TECHNICAL BID
Tender Application Format/Details of Bidder

Ref./Tender call Notice no- _____ / _____ Date-

1. Name and Address

Name of Bidder/Firm	Address with contact Number

2. Statutory Registration

Registration	No
GSTIN	
PAN	
Copy of Up-to date GST Clearance	
IT Return for 2022-23,2021-22,2020-2021	

3. Documents Enclose

Details	Bank	Number and date	Amount (in Rs)
Tender application money Rs.2000/- (Two Thousands) only			
EMD Rs /-			

DECLARATION BY THE BIDDERS:-

All the statements submitted above are true and correct to the best of my knowledge and belief.
If any documents/statements are found faults/detected forgery later on my candidature as a bidder will be forfeited and the EMD deposited in this tender application will be forfeited.

Place:

Date:

Seal and full Signature of the Bidder



FINANCIAL BID

Tender Application Format/Details of Bidder

Ref./Tender call Notice no-

/

Date-

Sl. No	Item	Quantity (Approximate)	Technical Specification	Quoted price for unit in Rupees (Inclusive of all taxes and transportation to OAV points)
1	Double seated Dual desk	329		
2	Teachers classroom chair	16		
3	Teachers classroom table	16		
4	Teachers common room chair	10		
5	Teachers common room table	02		
6	Principal chair	01		
7	Principal Table	01		
8	Office chair	04		
9	Office table	01		
10	Welded Almirah	06		

Place:

Date:

Seal and full Signature of the Bidder



ANNEXURE-E


ITEM WISE TENTATIVE COST

Sl. No	Name of the Item	Quantity	Amount in Rupees Per unit	Total Amount	EMD @ 2%
1	Double seated Dual desk	329	9000	2961000	59220
2	Teachers classroom chair	16	3700	59200	1184
3	Teachers classroom table	16	8000	128000	2560
4	Teachers common room chair	10	6600	66000	1320
5	Teachers common room table	02	12500	25000	500
6	Principal chair	01	8600	8600	172
7	Principal Table	01	22300	22300	446
8	Office chair	04	6600	26400	528
9	Office table	01	16700	16700	334
10	Welded Almirah	06	22000	132000	2640
Total				3445200	68904



SPECIFICATIONS	
DESK-CUM-BENCH-2 SEATER	
GENERIC	
TYPE OF DESKING	INTEGRATED DESK CUM SEATING WITH SHELF/ STORAGE UNDER DESK
DESKING CONFIGURATION	TWO SEATER
LENGTH OF DESKING, SEATING AND BACKREST (if provided) IN MM (+/-10 mm)	1050
DESK/ BENCH SPECIFICATIONS	
MATERIAL OF DESK TOP +/- 2mm (FOR SHELF/ STORAGE +/- 4 mm)	18 mm THICK PRELAMINATED PARTICLE BOARD
MATERIAL OF SUPPORT STRUCTURE OR SIDE PANNEL	MILD STEEL SQUARE SECTION OF OUTSIDE SIDE MINIMUM 25 mm AND WALL THICKNESS MINIMUM 1.2 mm
HEIGHT OF DESK TOP IN mm (+/- 5 mm)	750
WIDTH OF DESK TOP IN mm (+/- 5 mm)	380
SEATING SPECIFICATION	
MATERIAL OF SEAT AND BACKREST (if provide) (+/- 2 mm(for back rest +/- 4 mm)	18 mm THICK PRELAMINATED PARTICLE BOARD
MATERIAL OF SUPPORT STRUCTURE OR SIDE PANNEL	MILD STEEL SQUARE SECTION OF OUTSIDE SIDE MINIMUM 25 mm AND WALL THICKNESS MINIMUM 1.2 mm
MATERIAL OF SEAT CUSHION	WITHOUT CUSHION
WIDTH OF SEATING IN mm (+/- 10mm)	340
Height of seat in MM (+/- 10 mm)	440
WIDTH OF BACKREST IF PROVIDE IN mm (+/- 5 mm)	260
BACK SUPPORT FOR SEATING OF SAME MATERIAL AS SEATING	WITHOUT CUSHION
WARRANTY	minimum 1 Year

OFFICE TABLE	
MATERIAL	
Handles Material	Injection moulded polypropylene
Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	2.0 mm
Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
Shoes Material	Plastic
GENERIC	
Storage	one side
Total Number of Storage Units	triple storage
Type of Storage Units	
Lock on all storage units	
Loading capacity of table top in KG (±5 Kg)	100 KG
Table Top Material and Thickness (±2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
Padestal (Under structure)	Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick
Table Top Length ±10(mm)	1205 millimeter
Table Top Width ±10(mm)	600 millimeter
Table Height ±5(mm)	725 millimeter
DIMENSION	
Width of Storage Unit ±5(mm)	355 millimeter
Depth of Storage Unit ±10(mm)	550 millimeter
Overall Height of Storage Units ±10 mm	670 mm
Height of smallest Storage Compartment / Drawer ±3 mm	140 mm
Height of medium size Storage Compartment / Drawer ±5 mm	SAME AS SMALLEST
Height of Largest Storage Compartment / Drawer ±5 mm	315 mm
Width of Locker / Cupboard type Storage unit	355 mm
Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	
WARRANTY	Minimum 1 Year

Furniture & Fixtures

Facility	Details
Student Seating	Compact dual seaters of white colour & blue border
Teacher Desk	Table, Chair of white colour & blue border

OFFICE CHAIR

GENERIC	
Chair Type	With Arms
Type of Seat and Backrest	Padded with Polyurethane Foam
Frame Type	Cantilever
Castors	Without
MATERIAL	
Material of Fabric Back Cover	polyster
Thickness of Plywood used in Backrest IN MM (± 1 mm)	12 mm
Frame Material	ERW pipe
Density of Polyurethane Foam Used in Seat ± 2 (Kg/Cub M)	45 Kg/Cub.M
Material of Fabric of Seat Cover	fabric
Density of Polyurethane Foam Used in Backrest ± 2 (Kg/Cub M)	45 Kg/Cub.M
Thickness of Plywood used in Seat ± 1 (mm)	12 mm
GSM/Thickness of Fabric ± 5 (Gram per Sq Meter)	250 Gram per Sq Meter
Arm Material	polypropelene
Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	40 mm
Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	50 mm
Shoe Type	nylon rubber
DIMENSION	
Size of Material (mm)	2 mm thick 25 mm tube
Chair Height ± 15 (mm)	890 mm
Seat Depth ± 10 (mm)	450 mm
Seat Width ± 10 (mm)	470 mm
Seat Height IN MM ± 5 (mm)	460
Backrest Width ± 10 (mm)	480 mm
Backrest Height ± 10 (mm)	550 mm
Arm Length ± 5 (mm)	250 mm
Arm Width ± 2 (mm)	50 mm
CERTIFICATION	
Test reports to be furnished to buyer on demand	
WARRANTY	Minimum 1 Year

Handwritten signature and scribbles at the bottom of the page.

PRINCIPAL TABLE	
MATERIAL	
Handles Material	Injection moulded polypropylene
Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	2.0 mm
Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
Shoes Material	PVC
GENERIC	
Storage	one side
Total Number of Storage Units	triple storage
Cup Board / Locker type Storage Units	N.A
Lock on all storage units	Provided
Loading capacity of table top in KG (±5 Kg)	100 KG
Table Top Material and Thickness (±2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
Padestal (Under structure)	Mild steel ERW tube 38 mm x 25 mm x 1.2 mm thick
Table Top Length ±10(mm)	1500 millimeter
Table Top Width ±10(mm)	750 millimeter
Table Height ±5(mm)	725 millimeter
DIMENSION	
Width of Storage Unit ±5(mm)	355 millimeter
Depth of Storage Unit ±10(mm)	550 millimeter
Overall Height of Storage Units ±10 mm	670 mm
Height of smallest Storage Compartment / Drawer ±3 mm	140 mm
Height of medium size Storage Compartment / Drawer ±5 mm	140 mm
Height of Largest Storage Compartment / Drawer ±5 mm	315 mm
Width of Locker / Cupboard type Storage unit	355 mm
Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	
Test reports to be furnished to buyer on demand	YES
OEM of offered product with certificate	
WARRANTY	Minimum 1 Year

[Handwritten signatures and initials]

TEACHER COMMON ROOM TABLE

GENERIC	
Seating Capacity	6 SEATER
Shape of Table Top	Rectangular
Type of Socket Box	No Socket Box
Wire entry System	N.A
Type of understructure	Leg type
Number of Legs per Seat	4
Leg Top Attachment	Powder coated MS plate of thickness 3.0 mm
At Top Leg assembled together with	3 mm thick M S sheet powder coated
MATERIAL	
Material of Table Top	Three Layer Prelaminated Particle Boards Of Grade-II Type-II Of IS:12823/Latest
Material of Legs	MS pipe of 75 mm width and 25 mm thick.
DIMENSION	
Length in mm (Select NA in case of Round Table) ± 10 (mm)	1850
Width in mm (Diameter in case of Round Table) ± 10 (mm)	900
Height in mm (± 5 mm)	750 mm
Thickness of Top ± 2 (mm)	25 millimeter
Height of Modesty Panel ± 5 (mm)	NA
COLOUR & FINISH	
Packing	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap
CERTIFICATION	
Test reports to be furnished to buyer on demand	
WARRANTY	Minimum 1 Year

De *not* *over* *Gambate* *ne*

PRINCIPAL CHAIR

MATERIAL	
Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
Arm Material	Proopylene
seat material	PU Foam covered with Fabric
Density of PU foam used in seat KG per Cu Meter (+/- 3)	45
Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45
Material of Fabric Back Cover / Material for Backrest	100% polyester fabric
Material of Fabric of Seat Cover	100% polyester fabric
GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram
GENERAL	
Chair Type	central tilt synchronic
Tilt Tension Adjustment	Yes
Height Adjustment ± 5 (mm)	up to 120 mm
Arm	With
Type of backrest support	backrest symmetrical lumber support
Arm Type	Fixed
Colour of Fabric for Seat and Backrest	black
Ergonomic Seat Design	Yes
Back type	push back
Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame
Seat type	fixed
Seat is curved	Yes
Locking mechanism	Yes
Type of locking	upright locking
Number of arm movement	N.A
Lumber support	N.A
DIMENSION	
Overall Chair Height ± 15 mm	990
Backrest Height ± 15 mm	600 millimeter
Backrest Width ± 10 mm	480 millimeter
Seat Height ± 15 mm	420
Seat Width ± 10 mm	480
Seat Depth ± 10 mm	480 millimeter
Thickness of MS Plate Joining the under structure with Seat	1.2 millimeter
Thickness of Plywood used in Seat ± 1 (mm)	12 mm
Thickness of Plywood used in Backrest ± 1 (mm)	12 mm
Padestal Size (Diameter in mm) +/- 10 mm	650
Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	45 mm
Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	45 mm
CERTIFICATION	
OEM of offered product with ISO certification	
WARRANTY	
	Minimum 1 Year

On receipt of goods *Amhile* *Per*

TEACHER CLASS ROOM TABLE

GENERIC	
Shape of Table	Square
Seating Capacity	4
MATERIAL	
Material of top	Prelaminated board
Material of understructure	Powder Coated MS
Material of top finish	Teak laminate/ply with polish
DIMENSION	
Length of table ± 10 mm (Diameter in case of Round)	900 mm
Depth of table ± 10 mm	900 mm
Height of table ± 10 mm	750 mm
Thickness of top in mm (+/- 5%)	25 mm
Shape and Dimension of Base	4 Leg MS finish
MISC	
Number of vertical support	4
Under Structure Diameter of Pipes (Width in case of Square sections) in mm	40
Vertical Support Diameter of Pipes (Width in case of Square sections) in mm	40
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	
WARRANTY	Minimum 1 Year

De *not* *and* *Ambrishi* *for*

TEACHER CLASS ROOM TABLE	
GENERIC	
Shape of Table	Square
Seating Capacity	4
MATERIAL	
Material of top	Prelaminated board
Material of understructure	Powder Coated MS
Material of top finish	Teak laminate/ply with polish
DIMENSION	
Length of table ± 10 mm (Diameter in case of Round)	900 mm
Depth of table ± 10 mm	900 mm
Height of table ± 10 mm	750 mm
Thickness of top in mm (+/- 5%)	25 mm
Shape and Dimension of Base	4 Leg MS finish
MISC	
Number of vertical support	4
Under Structure Diameter of Pipes (Width in case of Square sections) in mm	40
Vertical Support Diameter of Pipes (Width in case of Square sections) in mm	40
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	
WARRANTY	Minimum 1 Year

De *noted* *and* *Ambrish* *for*

TEACHER CLASS ROOM CHAIR	
GENERIC	
Chair Type	With Arms
Type of Seat and Backrest	injection moulded Polypropylene
Frame Type	4 Legs
MATERIAL	
Frame Material	MS ERW tube
Arm Material	polypropelene
Shoe Type	nylon rubber
DIMENSION	
Size of Material (mm)	16 gauge tubular pipe
Chair Height ± 15 (mm)	850 mm
Seat Depth ± 10 (mm)	530 MM
Seat Width ± 10 (mm)	520 MM
Seat Height IN MM ± 5 (mm)	450
Backrest Width ± 10 (mm)	520 mm
Backrest Height ± 10 (mm)	400 mm
Arm Length ± 5 (mm)	200 mm
Arm Width ± 2 (mm)	30 mm
CERTIFICATION	
Test reports to be furnished to buyer on demand	
OEM of offered product with ISO certificate	
WARRANTY	Minimum 1 Year