

INVITATION FOR BIDS(IFB)**BID IDENTIFICATION NO-01**

Block Development Officer, Chandball on behalf of Panchayat Samiti, Chandball invites Percentage rate bids in single Sealed cover system for the construction of works as detailed in the table below, from the eligible contractors of equivalent grade/ class registered with Central Govt/MES/Railways for execution of Civil works. The proof of registration from the appropriate authority ,Aadhaar card, Affidavit, PAN Card, Money receipt, EMD, I.T.C.C., G.S.T. Registration and DTCN paper shall be enclosed along with the bid. The bidders may submit bids for any or all the following works in the office of the Panchayat Samiti, Chandball .One bidder can submit one bid only for a particular work. The cover containing the bid should be super scribed as Tender for the work "name of the work as the case may be".

1.Bid documents consisting of specifications, the schedule of quantities and the set of terms & conditions of contract and other necessary documents can be seen in the Website [http://bhadrak.odisha.gov.in/-](http://bhadrak.odisha.gov.in/) or purchased from this office on payment of specified amount (non-refundable) during office hours. The bidders who will download the document online must have to obtain the money receipt towards cost of document from this office before the scheduled date.

2.Bids must be accompanied with earnest money deposit and receipt against cost of bid documents of the amount as specified for the work in the table along with bid documents , The cost of bid documents shall be in shape of demand draft issued from any Nationalized scheduled commercial bank located in the state of Odisha in Favour of Block Development Officer Chandbali, Payable at Chandbali.Earnest money deposit will have to be in any one of the forms as specified in the bidding documents and shall have to be valid for 45 days beyond the validity of the bid, Bids shall be received in the office of the Panchayat Samiti,Chandbali up to 1:00 PM of 29/03/2025 except Govt. holidays.

3.Bids received shall be opened at 3:30 PM of 29/03/2025 in the office of the Panchayat Samiti Chandbali in the presence of the bidders or their authorized representatives who wish to attend there off.In case if the office happens to be closed on the stipulated date of opening of Bids as specified, the bids will be opened in the next working day at the same time and date.

4.Other details can be seen in the Detailed Tender Call Notice (DTCN) to be collected from Officer of the Panchayat Samiti, Chandbali.

5.The Authority reserves right to reject or cancel the Bid (s) without assigning any reason thereof.

S.i No	Name of Work	Amount put to Tender Rs P	EMD Rs P	Time for Completion	Class of Contractor	Cost of Document Rs P
1	Construction of ACR at Haladia UGME school, at Gopinathpur GP	12,66,199	12662	6 calendar months	C & D	6000.00
2	Construction of ACR at Sarana Gobindpur Primary school, at Bijaynagar GP	12,66,179	12662	6 calendar months	C & D	6000.00

3	Construction of ACR at Saraswati Primary school, at Karanjmal GP	12,67,904	12679	6 calendar months	C & D	6000.00
4	Construction of ACR at Baliapal UP school, at Bajarapur GP	12,66,199	12662	6 calendar months	C & D	6000.00
5	Construction of ACR at Nrusinghanath Nodal school, at Nandapur GP	12,65,887	12658	6 calendar months	C & D	6000.00
6	Construction of ACR at Gouduni Pokhari Nodal Primary school, at Mousudha GP	12,66,179	12662	6 calendar months	C & D	6000.00
7	Construction of ACR at PRUPME school, at Totapada GP	12,66,179	12662	6 calendar months	C & D	6000.00
8	Construction of ACR at BSC High school Jantuali, at Nuagan GP	14,12,096	14120	6 calendar months	C & D	6000.00
9	Construction of ACR at Aparti Charan High school Ghanteswar, at Gopinathpur GP	14,12,499	14125	6 calendar months	C & D	6000.00
10	Construction of ACR at Garipur UGME school, at Bhuinbruti GP	12,30,288	12302	6 calendar months	C & D	6000.00
11	Construction of ACR at Dadhibaman Jew High school, at Sundarpur GP	13,52,588	13525	6 calendar months	C & D	6000.00

6.Date & Time:- 13/03/2025 (3 PM)

7.Last Date:- 29/03/2025 (1 PM)

8.Time of Opening: 3:30 PM of 29/03/2025

9. Name and address: Block Development Officer, Chandbali, Bhadrak.

Further Details can be seen from the website portal <http://bhadrak.odisha.gov.in/> . The Interested bidders contact office of the Block Development Officer, Chandbali, Dist-Bhadrak, Contact No-9938176780.


 Block Development Officer
 Chandbali

Memo No- 707 Date- 13/03/2025

Copy submitted to the Director, I & PR, Govt of Odisha, Bhubaneswar for favour of kind information.


 Block Development Officer
 Chandbali

Memo No- 708

Date- 13/03/2025

Copy submitted to PA to Collector, Bhadrak/Chief Development Officer,cum-EO, ZP,Bhadrak/CDM &PHO, Bhadrak/District Planning Officer/D.I &P.R.O for favour of kind information and necessary action.


13/3/25

Block Development Officer
Chandbali

Memo No- 709

Date- 13/03/2025

Copy to EE, Bhadrak/ EE, R.W.S&S Bhadrak/ EE R&B Division , Bhadrak/ EE, M.I.Division, Bhadrak/ EE, R.W Division/ Bhadrak/ All BDOs of Bhadrak District/Tahsildar, Chandbali/IIC, Chandbali PS/IIC, Chandbali PS/CDPO,ICDS, Chandbali EO, NAC for information and necessary action with request to display in their Notice Board for wide publication.


13/3/25

Block Development Officer
Chandbali

Memo No- 710

Date- 13/03/2025

Copy to DeGM , Bhadrak for uploading the Detail Tender Call Notice, tender schedule and the bid documents in the official website of Bhadrak i.e <http://bhadrak.odisha.gov.in/> & copy to Office Notice Board and C.P Chandbali Block to assist for uploading the DTCN and bid documents <http://bhadrak.odisha.gov.in/>


13/3/25

Block Development Officer
Chandbali



TENDER DOCUMENT

State :- *Odisha*
District :- *Bhadrak*
Block :- *Chandbali*

GOVT. OF ODISHA
Office of the Panchayat Samiti, Chandbali
Dist : Bhadrak

Detail Tender call Notice

1. Sealed tender in prescribed form to be eventually drawn in P.W.D F2 contract form will be received in the office of the Panchayat Samiti, Chandbali only through registered / Speed post from 3 PM of 13.03.2025 to 1:00 PM of 29.03.2025 from the eligible contractors of state, PWD/Irrigation and registered block contractors. The tender will be opened by BDO on 29.03.2025 at 3:30 PM in the presence of the bidders or their authorized agents at Panchayat Samiti meeting hall. The tender should be sealed and "Tender" should be written over the envelope. Bidders are advised to send the offers well in advance preferably by Speed post/ Registered post so as to reach this office well before the stipulated date & time. The authority will not be responsible for Postal delay of tenders.
2. The prescribed tender form along with other documents can be obtained from the office of the Panchayat Samiti Chandbali on payment of Rs 6000.00 (non-refundable) in shape of D.D. payable at any nationalize bank in favour of B.D.O. Chandbali from 3 PM of 13.03.2025 to 1:00 PM of 29.03.2025. The tender must be submitted in sealed covers and the name of work and name of the bidders should be mentioned on the cover.
3. Earnest money deposit is mandatory for individual bidders for each project.
4. Only bidders with sound financial record, capable of investing required amount for procurement of materials in advance required for the work, should apply. Block shall not supply any materials at all for the work.
5. **The work should be completed within 180 days(6 Calender month) including holidays from the date of issue of work order.**

6. This detailed tender call notice along with clauses mentioned herein form a part of the contract and agreement.
7. Authority reserves the right to reject any or all the tenders without assigning any reason.
8. No tender document will be sold to the intending bidders beyond the date and time of sale mentioned in the tender notice.
9. Each bidders should furnish valid Aadhaar card, Registration Certificate, Affidavit, PAN Card, Money receipt, EMD, I.T.C.C., G.S.T. Registration along with this DTCN paper failing which the tender is liable for rejection.
10. All tenders received shall remain valid for a period of 90 days from the last date prescribed for receipt of tenders.
11. The EMD of the unsuccessful bidders will be refunded after the tender is finally decided.
12. Taxes, fee, Octroi, Royalty etc. payable under the standing rules including state sales tax, income tax will be paid by the contractor.
13. The bidders shall carefully study the drawing and specification applicable to the contract and all the document will form a part of the agreement to be entered into by the selected bidder.
14. Every selected bidder should evaluate appropriate rates after inspecting the site of the proposed work, assessing the local conditions, inspecting the quarries and evaluating the rates, royalty, cess, other taxes, quality and availability of materials. In every case the materials must comply with the relevant specification. Complaints in the future regarding the rates and availability of materials at quarries will not be entertained.
15. On no account the contractor's work should be sublet to any being without prior approval of competent authority and as extent the contract may be rescinded under clause 19 of the F2 contract.

16. The right is reserved to make such increase or decrease in the quantities or items of work mentioned in the schedule attached to the tender notice as may be considered necessary for satisfactory completion of contract work and such increase or decrease shall not be entitled to any compensation on this account except extension of time where consideration is necessary.
17. The bidder whose bid is accepted shall forthwith upon written intimation being given to him of acceptance of his bid made for additional performance security as will be intimated within seven days of such intimation and sign the agreement in P.W.D. form No.F2 (Schedule XLV No. 61) for fulfillment of the contract in the office of the Panchayat Samiti. The security deposit together with the earnest money should be taken as initial security deposit for the fulfillment of the security money.
18. Bidders must abide by all the four clauses introduced by Govt. of Orissa work department i.e. letter No. VII 5225dt. 20.02.55 and No. II, II-5G/61-2B112 (5) dt. 27.09.61.
19. (a) Other charge of materials, octroi and all other taxes including prevailing sale tax from time to time ferry toils, conveyance charges and other cost on account of land and buildings including temporary building required by the contractor for collection of material, storage, housing of staff or other purpose of the work are to be borne by the contractor out of his own cost. No rent will be payable to Govt. for temporary occupation of land owned by Govt. in the site of work for bona fide use of the land for work and all such construction of temporary nature by the contractor shall be done after obtaining written permission from the Engineer in charge of civil portion of the work and all such construction shall have to be demolished and debris removed and ground made good and cleared after completion of the work at no extra cost.
- (b) Royalty will be recovered from each bill as notified by Govt. from time to time unless k-form are enclosed for refund of royalty in later date after passing of the bills cannot be entertained as the recovery of royalty is being credited to revenue.
- (c) Labour camps or huts necessary to a suitable scale including conserving smooth execution of work.
- (d) Arrangement of suitable water supply including pipe water supply where available for the staff and labor as well as for the execution of the work are to be borne by contractor at his own cost and no extra cost for carriage of water will be entertained.

- (e) All fees and dues levied by municipal canal or water supply authorities are to be borne by the contractor.
- (f) Suitable safety equipments and dresses, gloves life belts etc. for the labor engaged in risky operation are to be supplied by the contractor at his own cost.
- (g) Suitable fencing, barriers, signals including parapets and electric signals where necessary at work and approaches in order to protect the public and employees from accident has to be provided by the contractor at his own cost.
- (h) Compensation including cost of any legal suit for injury to persons orating out of execution of the work and also any which may become payable due to operation of the workmen compensation act. Shall have to be borne by the contractor.
- (i) The Contractor has to arrange adequate lighting arrangements for the work wherever necessary at his own cost.
20. No payment will be made for layout, bench mark level.
21. After the work is finished, all surplus materials should be removed from the site of work, preliminary work such as vats mixing platforms etc. should be dismantled and all materials removed from the site and premises left and this should be included in the rate.
22. Payment and execution of extra item or quantities of work will be as per clause of the F2 contract.
23. The contractor have to abide by the PWD safety code rules introduced by the Govt. of India, ministry of works. Housing & supply in their standing order No. 44255 dt. 25.11.57 which can be seen in the office of the undersigned of working days.
24. The contractor have to furnish a certificate along with the bid to the effect that he is not related to any officer in the rank of on Junior Engineer and above in charge of execution of this work. If the fact subsequently proved to be false, the contract will be rescinded. The earnest money and the total acuity will be forfeited and he shall be liable to make good to the loss or damages resulting from such cancellation.
- R = The value of work done in rupees during the quarter under consideration.
- Io = The average whole able prick index (all commodities) for the quarter in which the tender was opened published in R.B.I. bulletin from time to time.
- I = The average wholesale price index (all commodities) for the under consideration.
- Pm = Percentage of materials component as per sub-clause of this clause.

- (b) Similarly, the progress of work, the wage of labour increase or decrease in the average consumer's price index for industrial workers (wholesale price) and the contractor thereupon necessarily and properly pays in respect of labour engaged on execution of the work such increased or decreased wages, then he shall be entitled to reimbursement or liable to refund, quarterly as the case may be such amount as shall be equivalent to the plus or minus difference in the price of P.O.L. which is operating for the quarter under consideration and that operated for the quarter in which the tender was opened as per the formula indicated below.

Formula to calculate increase or decrease in the cost of labour.

$$VI = \frac{0.75 \times PI}{100} \times \frac{R \times (1 - io)}{100}$$

VI = increase in the cost of work during the quarter under consideration due to change in the rate of labour.

R = The value of the work done in rupees during the quarter

Io = The consumer's price index for industrial chapters (whole sale price) for the quarter in which tender was opened (as published in S.U.I. bulletin for time to time).

I = Minimum wages as prescribed for the period in respect of which increase or decrease is to be computed.

PI = Percentage of labor component (as per sub-clause of this clause)

(c) Similarly if during the progress of work the price of petrol oil and lubricant (Diesel oil being the reprehensive item for price adjustment) increase or decrease as a result of the price fixed therefore by the Government of India and the contractor thereupon necessarily and properly pays such increased or decreased price towards petrol, oil and lubricants used on execution of the work, then he shall be entitled to reimbursement or liable to refund, quarterly as the case may be such an amount, as shall be equivalent to the plus or minus difference in the price of P.O.L. which is operating for the quarter under consideration and the operated for the quarter in which the tender was opened as per time formula indicated below.

Formula to calculate the increase or decrease in the price of F.O.L.

$$KI = \frac{0.75 \times K^2}{100} \times R \times \frac{(D^2 - D^1)}{D^1}$$

K^1 = Increase or increase in the cost of work during the quarter under consideration due to changes in the price of .

R = The Value of in rupees during the quarter water consideration.

D^1 = average price per liter

K^2 = as per sub-loons of this

(d) I imbursement/refund on variation in price of materials, labour, P.O.L. as per sub-clause (a), (b) & (c) of this clause shall be applicable only in respect of contract of one year or more provided that the work has been carried out within the stipulated time of extension thereof due to reasons not attributable to contractor. Reimbursement is admissible only for the per beyond one year from the date of commencement of the work However, where the original contractual period is less the one year but subsequently it was been validly extended at the period becomes one year or more escalation clause shall be applicable only for the balance portion of work to be executed beyond one year provided the delay is not attributable to the contractor.

(E I) The contractor shall for the clause keep such books of account and other documents as are necessary to show amount of increase claimed or reduction available and shall allow inspection of the competent authority by a duly authorized representative of Government.

The contractor shall within a reasonable time of his becoming alteration in the price of such materials notice thereof to the Engineer in charge stating the same in given pursuant to this condition together with an information relating thereto which he may be in a position to supply.

Giving a no claim certificate for escalation charges on any account during the extend ring period the contractor forties his right to any escalation charges otherwise admissible to appropriate clause of the agree me executed by the contractor with the Government.

25(a) Bidders are required to go through each clause of P.W.D. from F2 carefully in addition to the clause mention therein before tendering.

26. Form work including complete false work shall be decisive by the contractor without any extra cost to employer and the department will have the right to inspect the scaffolding, centering and shuttering made for the work and can be rejected partly or fully such structures if found defective in their Work.

27. Cement shall be used by bags and weight of one bag of cement should be 50 (fifty) kg. net and the Engineer-in-charge & his representatives shall have the right to test the weight and quality from time to time.
28. The contractor shall make all arrangement for proper storage of materials but no cost for rising shed for store and pay of watchman etc. will be borne by the Department. The department is not responsible for any theft or loss or materials at site. It is contractors responsibility. Under any such plea, if the contractor stops the work, he shall have to pay the full penalty as per relevant clause of the contract.
29. Approach road to site of work for transport of materials to site of work is sole responsibility of the contractor. Statutory traffic restriction in the town area for transport of construction materials to site of and no consideration for extra time or compensation thereof shall be considered.
30. The rates quoted should be inclusive of carriage of water required in connection with execution of the work.
31. The contractor shall if so required by the Engineer-in-charge employ one or more Engineer Graduate or Diploma holders as apprentices at his own cost if the work as shown in the tender exceeds Rs. 2,50,000/- The apprentices will be selective by the supt. Engineer. The period of employment will commence within one month after the date of work order and would last till the date when 90% of the work is completed. The stipend to be paid to the apprentices from date of commencement of work up to completion of work & the amount will be paid from contractor.
32. The contractor will be responsible for any loss or damages due to any reasons of any departmental materials during the execution of work. In case of loss, damage or misuse, recovery at the rate at 5 times the cost of the materials will be deducted from the bills or his other-dues.
33. Central and provincial taxes like income tax and sales tax etc. shall be deducted from the bills at the prevailing rates as per the statutory instructions received from time to time.
34. It must be clearly understood that under no circumstances any interest is chargeable for the dues of additional dues if any payable for the work executed and final pending disposal due to any reason whatsoever.

35. The Fly- ash bricks should be good qualities. The bricks should be approved by the Engineer-in-charge before use in the work and should confirm to the minimum strength as per I.S. specifications.
36. Standard co-efficient for linear measurement will be adopted while calculating consumption of steel and no claim whatsoever regarding difference in-co- efficient of steel will be entreating. The rates quoted shall be inclusive of any eventuality of difference for co-efficient for linger measurement. However quality and the strength of the reinforcement shall be tested.
37. In case of ambiguity between clauses of this D.T.C.N. and the F₂ contract form, the relevant clause of the F₂ contract form shall prevail over the D.T.C.N.
38. **The bidding must be filled up in % basis i.e. either Excess or less. In case of less %, the differential value of the tender cost (APS) should be deposited in shape of fixed deposit pledged in favor of B.D.O Chandbali during execution of agreement .**
39. In case of SC/ST bidders, the bidder has to submit the **caste certificate & other required Document** along with affidavit.


Block Development officer
Chandbali

Signature of contractor

Date

Const. of A.C.R. at Halakia UGME School, Gopinath pur
G.P.

BOQ					
SI.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
					(Rs.)
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge .	4.62	Cum.	270.89	1,252.00
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	33.19	Cum.	1,333.07	44,247.00
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.49	Cum.	6,964.34	59,104.00
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.05	Cum.	6,170.44	18,835.00
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.				
	(i) Ground Floor	16.39	Cum.	6,203.77	1,01,705.00
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.				
	i Column Footing / Pile Cap	7.96	Cum.	7,523.00	59,909.00
	iii Beam & Column				
	a Ground Floor	6.22	Cum.	16,655.95	1,03,538.00
	v Roof Slab				
	a Ground Floor	10.19	Cum.	14,540.19	1,48,174.00
	vi Lintel				
	a Ground Floor	1.21	Cum.	15,126.85	18,322.00

7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m long	24.00	nos	6,286.81	1,50,883.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.				
	(i) Ground Floor	34.90	Qtl	9,036.60	3,15,355.00
9	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	81.51	Sqm	197.26	16,079.00
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.				
	(i) Over Roof Slab	75.66	Sqm	308.15	23,314.00
11	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	119.86	Sqm	282.03	33,804.00
12	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.				
	(i) Ground Floor	93.53	Sqm	214.95	20,104.00
13	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.				
	i Ground Floor	25.43	Sqm	210.41	5,350.00
14	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg.-in-Charge.				
	(i) Ground Floor	294.90	Sqm	76.72	22,625.00
15	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.				
	(i) Ground Floor	81.51	Sqm	97.19	7,922.00
16	Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete				
	(i) Ground Floor	213.39	Sqm	107.55	22,950.00

17	Emel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i) Ground Floor	32.87	Sqm	330.62	10,868.00	
18	Providing vitrified floor tiles etc complete					
	(i) Ground Floor	64.93	Sqm.	1,158.52	75,217.00	
19	Providing skiting in dadoes etc complete					
	(i) Ground Floor	5.05	Sqm.	1,315.96	6,642.00	
Sub total (A)				Rs.	12,66,199.00	

(Rupees Twelve Lakhs Sixty six Thousand Nine Hundred twenty nine)Only


Junior Engineer
Chandbali Block


Asst. Exe. Engineer
Chandbali Block


Block Development Officer
Chandbali Block


18.02.25
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

Cont. of ACR Building at Sarana Gobindpur Jay School
 G.P. Brijanagar

BOQ

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)	
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg.-in-Charge.	4.62	Cum.	270.89	1,252.00	
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	33.19	Cum.	1,379.53	45,789.00	
3	Cement concrete (1:3:6) with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.49	Cum.	6,968.80	59,142.00	
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost, conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.05	Cum.	6,208.57	18,952.00	
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings, racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.					
	(i) Ground Floor	16.39	Cum.	6,241.90	1,02,330.00	
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials, labours, T & P, curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.					
	i Column Footing / Pile Cap	7.96	Cum.	7,527.14	59,942.00	
	iii Beam & Column					
	a Ground Floor	6.22	Cum.	16,660.09	1,03,563.00	
	v Roof Slab					
	a Ground Floor	10.19	Cum.	14,544.33	1,48,216.00	
	vi Lintel					
	a Ground Floor	1.21	Cum.	15,130.99	18,327.00	

	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete	24.00	nos	6,289.04	1,50,937.00
8	300mm pile - 5.0m long Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.	34.58	Qtl	9,036.60	3,12,505.00
9	(i) Ground Floor 12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	81.51	Sqm	197.96	16,136.00
10	(i) Ground Floor 20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.	75.66	Sqm	309.13	23,388.00
11	(i) Over Roof Slab 16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	119.86	Sqm	282.87	33,905.00
12	(i) Ground Floor 6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.	93.53	Sqm	215.30	20,136.00
13	(i) Ground Floor 12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.	25.43	Sqm	211.11	5,367.00
14	(i) Ground Floor Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg-in-Charge .	294.90	Sqm	76.72	22,625.00
15	(i) Ground Floor Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.	81.51	Sqm	97.19	7,922.00
16	(i) Ground Floor Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete	213.39	Sqm	107.55	22,950.00

ANALYSIS OF RATES

7	Enamel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i) Ground Floor	32.87	Sqm	330.62	10,868.00	
18	Providing vitrified floor tiles etc complete	64.93	Sqm.	1,159.50	75,281.00	
19	Providing skiting in dadoes etc complete	5.05	Sqm.	1,316.66	6,646.00	
	(i) Ground Floor					
	Sub total (A)			Rs.	12,66,179.00	
	(Rupees Twelve Lakhs Sixty six Thousand nine Hundred eight)Only					


Junior Engineer
Chandbali Block


Asst. Exe. Engineer
Chandbali Block


Block Development Officer
Chandbali Block


18.02.25
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

BOQ

Sl. No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT	
					(Rs.)	
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg.-in-Charge.	4.62	Cum.	270.89		1,252.00
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	33.19	Cum.	1,611.83		53,499.00
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.49	Cum.	7,347.92		62,360.00
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.05	Cum.	6,457.80		19,712.00
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.					
	(i) Ground Floor	16.39	Cum.	6,491.13		1,06,416.00
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.					
	i Column Footing / Pile Cap	7.96	Cum.	7,882.56		62,773.00
	iii Beam & Column					
	a Ground Floor	6.22	Cum.	17,015.51		1,05,773.00
	v Roof Slab					
	a Ground Floor	10.19	Cum.	14,899.75		1,51,838.00
	vi Lintel					
	a Ground Floor	1.21	Cum.	15,486.41		18,758.00

7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm.nile.-5.0m.lona	24.00	nos	6,479.20	1,55,501.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.	31.32	Qtl	9,036.60	2,83,059.00
	(i) Ground Floor				
9	12mm cement plaster in cement mortar (1:6)including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	81.51	Sqm	201.44	16,420.00
	(i) Ground Floor				
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.	75.66	Sqm	314.00	23,757.00
	(i) Over Roof Slab				
11	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	119.86	Sqm	287.05	34,406.00
	(i) Ground Floor				
12	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slury treatment etc. complete as per direction of Engg.-in-Charge.	93.53	Sqm	217.04	20,299.00
	(i) Ground Floor				
13	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .	25.43	Sqm	214.59	5,456.00
	i Ground Floor				
14.	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg-in-Charge .	294.90	Sqm	76.72	22,625.00
	(i) Ground Floor				
15.	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.	81.51	Sqm	97.19	7,922.00
	(i) Ground Floor				
16	Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete	213.39	Sqm	107.55	22,950.00
	(i) Ground Floor				

8	Emel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i) Ground Floor	32.87	Sqm	330.62	10,868.00	
19	Providing vitrified floor tiles etc complete					
	(i) Ground Floor	64.93	Sqm.	1,164.37	75,597.00	
20	Providing skiting in dadoes etc complete					
	(i) Ground Floor	5.048	Sqm.	1,320.15	6,663.00	
	Sub total (A)			Rs.	12,67,904.00	
	(Rupees Twelve Lakhs Sixty eight Thousand Six Hundred nineteen)Only					

2
Junior Engineer
Chandbali Block


Asst. Exe. Engineer
Chandbali Block


Block Development Officer
Chandbali Block


14.02.25
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

CONST. of ACR at Baliapal V.P. School G.P. Bejanespur

BOQ					
Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
					(Rs.)
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge.	4.62	Cum.	270.89	1,252.00
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	33.19	Cum.	1,333.07	44,247.00
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.49	Cum.	6,964.34	59,104.00
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.05	Cum.	6,170.44	18,835.00
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.				
	(i) Ground Floor	16.39	Cum.	6,203.77	1,01,705.00
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.				
	i Column Footing / Pile Cap	7.96	Cum.	7,523.00	59,909.00
	iii Beam & Column				
	a Ground Floor	6.22	Cum.	16,655.95	1,03,538.00
	v Roof Slab				
	a Ground Floor	10.19	Cum.	14,540.19	1,48,174.00
	vi Lintel				
	a Ground Floor	1.21	Cum.	15,126.85	18,322.00

7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m. long	24.00	nos	6,286.81	1,50,883.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.	34.90	Qtl	9,036.60	3,15,355.00
	(i) Ground Floor				
9	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	81.51	Sqm	197.26	16,079.00
	(i) Ground Floor				
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.	75.66	Sqm	308.15	23,314.00
	(i) Over Roof Slab				
11	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	119.86	Sqm	282.03	33,804.00
	(i) Ground Floor				
12	6mm. thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.	93.53	Sqm	214.95	20,104.00
	(i) Ground Floor				
13	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.	25.43	Sqm	210.41	5,350.00
	i Ground Floor				
14	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg.-in-Charge.	294.90	Sqm	76.72	22,625.00
	(i) Ground Floor				
15	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.	81.51	Sqm	97.19	7,922.00
	(i) Ground Floor				
16	Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete	213.39	Sqm	107.55	22,950.00
	(i) Ground Floor				

17	Emamel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i)	Ground Floor	32.87	Sqm	330.62	10,868.00
18	Providing vitrified floor tiles etc complete		64.93	Sqm.	1,158.52	75,217.00
	(i)	Ground Floor				
19	Providing skiting in dadoes etc complete		5.05	Sqm.	1,315.96	6,642.00
	(i)	Ground Floor				
	Sub total (A)				Rs.	12,66,199.00
(Rupees Twelve Lakhs Sixty six Thousand Nine Hundred twenty nine)Only						

Junior Engineer
Chandbali Block

Asst. Exe. Engineer
Chandbali Block

Block Development Officer
Chandbali Block

Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

Const. of ACR at Narasinghanath Hobal School, Mandya per G.P.

BOQ

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)	
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge.	4.62	Cum.	270.89		1,252.00
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	33.19	Cum.	1,240.15		41,163.00
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.49	Cum.	6,857.30		58,196.00
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.05	Cum.	6,040.29		18,438.00
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.					
	(i) Ground Floor	16.39	Cum.	6,073.62		99,571.00
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.					
	i Column Footing / Pile Cap	7.96	Cum.	7,422.60		59,110.00
	iii Beam & Column					
	a Ground Floor	6.22	Cum.	16,555.55		1,02,913.00
	v Roof Slab					
	a Ground Floor	10.19	Cum.	14,439.79		1,47,150.00
	vi Lintel					
	a Ground Floor	1.21	Cum.	15,026.45		18,201.00

7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m long	24.00	nos	6,233.12	1,49,595.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.	36.09	Qtl	9,036.60	3,26,120.00
9	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	81.51	Sqm	195.86	15,965.00
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .	75.66	Sqm	306.20	23,167.00
11	(i) Over Roof Slab 16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	119.86	Sqm	280.35	33,603.00
12	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.	93.53	Sqm	214.26	20,039.00
13	(i) Ground Floor 12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .	25.43	Sqm	209.01	5,314.00
14	i Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg.-in-Charge .	294.90	Sqm	76.72	22,625.00
15	(i) Ground Floor Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.	81.51	Sqm	97.19	7,922.00
16	(i) Ground Floor Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete	213.39	Sqm	107.55	22,950.00

17	Emel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i)	Ground Floor	32.87	Sqm	330.62	10,868.00
18	Providing vitrified floor tiles etc complete					
	(i)	Ground Floor	64.93	Sqm.	1,156.57	75,090.00
19	Providing skiting in dadoes etc complete					
	(i)	Ground Floor	5.05	Sqm.	1,314.57	6,635.00
Sub total (A)			Rs.		12,65,887.00	
(Rupees Twelve Lakhs Sixty six Thousand Six Hundred twenty four)Only						


Junior Engineer
Chandbali Block


Asst. Exe. Engineer
Chandbali Block


Block Development Officer
Chandbali Block


Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

Consd. of A.C.R at Gouhonipokhani primary school
Mousuatha G.P.

BOQ

SI	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)	
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge.	4.62	Cum.	270.89		1,252.00
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	33.19	Cum.	1,379.53		45,789.00
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.49	Cum.	6,968.80		59,142.00
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.05	Cum.	6,208.57		18,952.00
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.					
	(i) Ground Floor	16.39	Cum.	6,241.90		1,02,330.00
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.					
	i Column Footing / Pile Cap	7.96	Cum.	7,527.14		59,942.00
	iii Beam & Column					
	a Ground Floor	6.22	Cum.	16,660.09		1,03,563.00
	v Roof Slab					
	a Ground Floor	10.19	Cum.	14,544.33		1,48,216.00
	vi Lintel					
	a Ground Floor	1.21	Cum.	15,130.99		18,327.00

7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m long	24.00	nos	6,289.04	1,50,937.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.				
	(i) Ground Floor	34.58	Qtl	9,036.60	3,12,505.00
9	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	81.51	Sqm	197.96	16,136.00
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg-in-Charge .				
	(i) Over Roof Slab	75.66	Sqm	309.13	23,388.00
11	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	119.86	Sqm	282.87	33,905.00
12	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.				
	(i) Ground Floor	93.53	Sqm	215.30	20,136.00
13	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg-in-Charge .				
	i Ground Floor	25.43	Sqm	211.11	5,367.00
14	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg-in-Charge .				
	(i) Ground Floor	294.90	Sqm	76.72	22,625.00
15	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.				
	(i) Ground Floor	81.51	Sqm	97.19	7,922.00
16	Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete				
	(i) Ground Floor	213.39	Sqm	107.55	22,950.00

17	Emamel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i)	Ground Floor	32.87	Sqm	330.62	10,868.00
18	Providing vitrified floor tiles etc complete					
	(i)	Ground Floor	64.93	Sqm.	1,159.50	75,281.00
19	Providing skiting in dadoes etc complete					
	(i)	Ground Floor	5.05	Sqm.	1,316.66	6,646.00
Sub total (A)			Rs.		12,66,179.00	
(Rupees Twelve Lakhs Sixty six Thousand Nine Hundred Eight)Only						

21


Junior Engineer
Chandbali Block



Asst. Exe. Engineer
Chandbali Block



Block Development Officer
Chandbali Block



25.02.25
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

Construction of A.C.R at PRUPME School, Totapada

BOQ						
SI	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)	
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge.	4.62	Cum.	270.89	1,252.00	
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	33.19	Cum.	1,379.53	45,789.00	
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.49	Cum.	6,968.80	59,142.00	
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.05	Cum.	6,208.57	18,952.00	
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffolding ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.					
	(i) Ground Floor	16.39	Cum.	6,241.90	1,02,330.00	
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.					
	i Column Footing / Pile Cap	7.96	Cum.	7,527.14	59,942.00	
	iii Beam & Column					
	a Ground Floor	6.22	Cum.	16,660.09	1,03,563.00	
	v Roof Slab					
	a Ground Floor	10.19	Cum.	14,544.33	1,48,216.00	
	vi Lintel					
	a Ground Floor	1.21	Cum.	15,130.99	18,327.00	

7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m long	24.00	nos	6,289.04	1,50,937.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.	34.58	Qtl	9,036.60	3,12,505.00
9	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	81.51	Sqm	197.96	16,136.00
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .	75.66	Sqm	309.13	23,388.00
11	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	119.86	Sqm	282.87	33,905.00
12	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slury treatment etc. complete as per direction of Engg.-in-Charge.	93.53	Sqm	215.30	20,136.00
13	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .	25.43	Sqm	211.11	5,367.00
14	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg.-in-Charge .	294.90	Sqm	76.72	22,625.00
15	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.	81.51	Sqm	97.19	7,922.00
16	Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete	213.39	Sqm	107.55	22,950.00

17	Emel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i) Ground Floor	32.87	Sqm	330.62		10,868.00
18	Providing vitrified floor tiles etc complete					
	(i) Ground Floor	64.93	Sqm.	1,159.50		75,281.00
19	Providing skiting in dadoes etc complete					
	(i) Ground Floor	5.05	Sqm.	1,316.66		6,646.00
	Sub total (A)				Rs.	12,66,179.00
	(Rupees Twelve Lakhs Sixty six Thousand Nine Hundred eight)Only					


 Junior Engineer
 Chandbali Block


 Asst. Exe. Engineer
 Chandbali Block


 Block Development Officer
 Chandbali Block


 18-02-25
 Addl. Executive Officer(Tech.)
 Zilla Parishad, Bhadrak

Cond. of ACR at BSC High School Jantuli, Muagan G.P.

BOQ

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT	
					(Rs.)	
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge.	4.87	Cum.	270.89		1,320.00
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	36.86	Cum.	1,333.07		49,139.00
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	9.32	Cum.	6,946.50		64,751.00
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.29	Cum.	6,066.31		19,951.00
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.					
	(i) Ground Floor	17.97	Cum.	6,099.64		1,09,636.00
6	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.					
	i Column Footing / Pile Cap	8.20	Cum.	7,506.23		61,549.00
	iii Beam & Column					
	a Ground Floor	6.44	Cum.	16,639.18		1,07,146.00
	v Roof Slab					
	a Ground Floor	11.25	Cum.	14,523.42		1,63,443.00
	vi Lintel					
	a Ground Floor	1.29	Cum.	15,110.08		19,492.00

7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m lona	24.00	nos	6,277.86	1,50,669.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.	43.97	Qtl	9,036.60	3,97,309.00
9	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	86.24	Sqm	197.26	17,011.00
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .	83.85	Sqm	308.15	25,838.00
11	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.	130.68	Sqm	282.03	36,855.00
12	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.	103.46	Sqm	214.95	22,238.00
13	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .	27.30	Sqm	210.41	5,744.00
14.	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg.-in-Charge .	320.37	Sqm	76.72	24,579.00
15.	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.	86.24	Sqm	97.19	8,381.00
16	Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete	234.13	Sqm	107.55	25,181.00

17	Enamel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i) Ground Floor	32.87	Sqm	330.62	10,868.00	
18	Providing vitrified floor tiles etc complete	72.28	Sqm.	1,158.52	83,732.00	
	(i) Ground Floor					
19	Providing skiting in dadoes etc complete	5.52	Sqm.	1,315.96	7,264.00	
	(i) Ground Floor					
	Sub total (A)			Rs.	14,12,096.00	

(Rupees Forteen Lakhs Twelve Thousand Eight Hundred seventy nine)Only

Junior Engineer
Chandbali Block

Asst. Exe. Engineer
Chandbali Block

Block-Development Officer
Chandbali Block

18.02.25
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

Const. of A. C. R at Aparthi Charan Hrga School Ghanateswar
Gopinathpur G-R

BOQ

Sl. No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)	
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge.	4.87	Cum.	270.89		1,320.00
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	36.86	Cum.	1,333.07		49,139.00
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	9.32	Cum.	6,964.34		64,918.00
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	3.29	Cum.	6,170.44		20,293.00
5	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.					
6	(i) Ground Floor Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.	17.97	Cum.	6,203.77		1,11,508.00
	i Column Footing / Pile Cap	8.20	Cum.	7,523.00		61,687.00
	iii Beam & Column					
	a Ground Floor	6.44	Cum.	16,655.95		1,07,254.00
	v Roof Slab					
	a Ground Floor	11.25	Cum.	14,540.19		1,63,632.00
	vi Lintel					
	a Ground Floor	1.29	Cum.	15,126.85		19,514.00


7	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m long	24.00	nos	6,286.81	1,50,883.00
8	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.				
	(i) Ground Floor	43.67	Qtl	9,036.60	3,94,660.00
9	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	86.24	Sqm	197.26	17,011.00
10	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.				
	(i) Over Roof Slab	83.85	Sqm	308.15	25,838.00
11	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	130.68	Sqm	282.03	36,855.00
12	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.				
	(i) Ground Floor	103.46	Sqm	214.95	22,238.00
13	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge .				
	i Ground Floor	27.30	Sqm	210.41	5,744.00
14.	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg-in-Charge .				
	(i) Ground Floor	320.37	Sqm	76.72	24,579.00
15.	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.				
	(i) Ground Floor	86.24	Sqm	97.19	8,381.00
16	Providing wall painting two coat with Plastic paint for inside and ceiling area etc all complete				
	(i) Ground Floor	234.13	Sqm	107.55	25,181.00

7	Emel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge .					
	(i)	Ground Floor	32.87	Sqm	330.62	10,868.00
8	Providing vitrified floor tiles etc complete					
	(i)	Ground Floor	72.28	Sqm.	1,158.52	83,732.00
9	Providing skiting in dados etc complete					
	(i)	Ground Floor	5.520	Sqm.	1,315.96	7,264.00
	Sub total (A)				Rs.	14,12,499.00
(Rupees Forteen Lakhs Thirteen Thousand Two Hundred Eighty one)Only						

2A
Junior Engineer
Chandbali Block


Asst. Exe. Engineer
Chandbali Block


Block Development Officer
Chandbali Block


18.02.25
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

BOQ for Construction of Additional Class room at Garipur UGME school, Bhuinbruti

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)
PART-A (CIVIL)					
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge .	17.001	Cum.	269.70	4,585.21
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	41.566	Cum.	1,472.17	61,191.59
3	Cement concrete (1:3:6) with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	8.883	Cum.	7,137.74	63,401.48
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost, conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	5.060	Cum.	5,834.90	0,29,524.59
5	1" thick D.P.C with C.C(1:2:4) using 12mm. Chips etc. complete as per direction of Engg-in-Charge .	9.088	Sqm.	386.11	3,508.77
6	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffolding, racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.				
	(i) Ground Floor	16.570	Cum.	5,868.23	0,97,236.57
7	Providing and Laying reinforcement Cement concrete (M 20) with 20 mm and down graded chips including cost all materials, labours, T & P, curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.				
	i Column Footing / Pile Cap	3.560	Cum.	7,690.62	27,378.61
	ii Plinth Beam	4.310	Cum.	8,560.65	36,896.40
	iii Beam & Column				
	a Ground Floor	5.400	Cum.	16,799.59	0,90,717.79
	iv 65mm avg. Chajja				
	a Ground Floor	0.550	Sqm.	1,462.95	8081.67
	v Roof Slab				
	a Ground Floor				
	vi Lintel	7.880	Cum.	14,693.95	1,15,788.33
	a Ground Floor	1.630	Cum.	15,284.31	24,913.43
8	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 4.50m long	22	Pile	5,112.31	1,12,470.86

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (₹)
	Page 2				
9	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge.				
	(i) Ground Floor	31.240	Qtl	9,033.94	2,82,220.29
10	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	102.770	Sqrm	198.74	20,424.51
11	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.				
	(i) Over Roof Slab	63.040	Sqrm	310.15	19,551.54
12	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge.				
	(i) Ground Floor	95.980	Sqrm	283.60	27,219.93
13	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slurry treatment etc. complete as per direction of Engg.-in-Charge.				
	(i) Ground Floor	84.370	Sqrm	215.28	18,163.17
14	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge.				
	i Ground Floor	10.900	Sqrm.	211.89	2,309.60
15	Cement punning including cost, conveyance of cement and curing etc. complete as per direction of Engg.-in-Charge.				
	(i) Ground Floor	10.900	Sqrm	59.33	646.70
16	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg.-in-Charge.				
	(i) Ground Floor	283.12	Sqrm	76.49	21,655.85
17	Wall painting two coats on new work with Plastic emulsion paint of approved shade etc. complete as per direction of Engg.-in-Charge.				
	(i) Ground Floor	160.24	Sqrm	107.28	17,190.55
18	Finishing wall surface of walls with Acrylic wall putty (Water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes, labour T & P etc. complete as per direction of Engg.-in-Charge.				
	(i) Ground Floor	180.350	Sqrm	89.60	16,169.36
19	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge.				
	(i) Ground Floor	102.770	Sqrm	96.92	9,959.95
20	Supplying and fixing of steel M.S. grill with all fitting and fixtures including cost of cutting holes in the brick masonry and R.C.C. columns and making good to damage etc, as per direction of Engineer -in -charge.				

**BOQ for Construction of Additional class room at Dadhibaman jew hs,Sundarpur ,Block-
Chandbali**

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)
PART-A (CIVIL)					
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification approved by the department etc. complete.etc. complete as per direction of Engg-in-Charge.	16.971	Cum.	269.70	4,577.12
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc complete as per direction of Engg.-in-Charge.	45.341	Cum.	1,146.95	52,003.37
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance and royalty etc. complete as per direction of Engg.-in-Charge.	9.795	Cum.	6,714.02	65,760.94
4	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc. complete. as per the direction of the Engineer-in-charge.	5.280	Cum.	5,743.83	0,30,327.42
5	1" thick D.P.C with C.C(1:2:4) using 12mm. Chips etc. cpmplete as per direction of Engg.-in-Charge.	9.750	Sqm.	375.79	3,663.95
6	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out joints, curing etc complete as per specification/drawing and as per the direction of the Engineer-in-charge.				
	(i) Ground Floor	17.050	Cum.	5,777.16	0,98,500.58
7	Providing and Laying reinforcement Cement concrete (M 20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement & Centering, shuttering) as per direction of Engineer-in-charge.				
	i Column Footing / Pile Cap	3.560	Cum.	7,293.39	25,964.47
	ii Plinth Beam	4.650	Cum.	8,163.42	37,959.90
	iii Beam & Column	6.500			
	a Ground Floor	6.500	Cum.	16,402.36	1,07,209.86
	iv 65mm avg. Chajja			16,246.32	1,07,763.51
	a Ground Floor	0.556	Sqm.	1,261.21	7,978.28
	v Roof Slab				
	a Ground Floor	8.710	Cum.	14,296.72	1,24,524.43
	vi Lintel				
	a Ground Floor	1.610	Cum.	14,887.08	23,968.20
8	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete 300mm pile - 5.0m long	22	Pile	5,347.31	1,17,640.77

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)
	Page 2				
9	Supplying, fitting and placing uncoated HYSD bar reinforcement (SAIL/TATA TISCON/JINDAL PANTHER/SHYAM STEEL) complete in proper position including cost of binding wire 18 to 20 gauge as per direction of Engg.-in-Charge. (i) Ground Floor	37.940	Qlt	9,033.94	3,42,747.68
10	12mm cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge. (i) Ground Floor	108.580	Sqm	193.86	21,049.32
11	20mm. Thick grading plaster in c.m. 1:4 including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge. (i) Over Roof Slab	69.720	Sqm	303.32	21,147.12
12	16mm thick cement plaster in cement mortar (1:6) including necessary scaffolding curing etc. as per direction of Engg.-in-Charge. (i) Ground Floor	116.960	Sqm	277.76	32,486.81
13	6mm.thick cement plaster with C.M(1:4) to RCC surface including closed deep chipping and slury treatment etc. complete as per direction of Engg.-in-Charge. (i) Ground Floor	86.720	Sqm	212.84	18,457.48
14	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials curing etc. complete as per direction of Engg.-in-Charge. i Ground Floor	11.700	Sqm.	207.01	2,422.02
15	Cement punning including cost, conveyance of cement and curing etc. complete as per direction of Engg.-in-Charge . (i) Ground Floor	11.700	Sqm	59.33	694.16
16.	Wall Priming one coats on new work with wall water bound primer of approved shade as per direction of Engg.-in-Charge . (i) Ground Floor	312.26	Sqm	76.49	23,884.77
17.	Wall painting two coats on new work with Plastic emulsion paint of approved shade etc. complete as per direction of Engg.-in-Charge . (i) Ground Floor	186.86	Sqm	107.28	20,046.34
18.	Finishing wall surface of walls with Acrylic wall putty (Water based) of approved make and finished smooth and even surface to receive painting including cost of scaffolding staging charges with cost of all materials taxes, labour T & P etc. complete as per direction of Engg.-in-Charge . (i) Ground Floor	203.680	Sqm	89.60	18,249.73
19.	Wall painting two coats on new work with Weather coat paint of approved shade as per direction of Engg.-in-Charge. (i) Ground Floor	108.580	Sqm	96.92	10,523.03
20.	Supplying and fixing of steel M.S. grill with all fitting and fixtures including cost of cutting holes in the brick masonry and R.C.C. columns and making good to damage etc, as per direction of Engineer -in -charge.				


Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)
	Page 3				
	(i) Ground	408.600	Kg.	105.11	42,947.96
21	Emel Painting two coats with enamel paint over one coat of primer of approved quality etc. complete as per direction of Engg-in-Charge.				
	(i) Ground Floor	24.880	Sqm	329.53	8,198.71
22	Supplying, fitting & fixing of stainless steel of 304 grade in Hand Railing using 50mm. Dia of 2mm. thick circular pipe with Balustrade of size 32mm.x32mm.x2mm. @ 0.90m. C/C and stainless square pipe bracing of size				
	i Railing	3.500	Rmt	3,588.31	12,558.09
23	Fixing colour Vitrified tiles in floors (Printed Series) of size 600mm x600 mm of approved make conforming IS:13755 laid on 20 mm thick cement mortar (1:4) and filling joints with white cement of approved quality including cost of all materials, labour T&P etc required for the work all complete as per direction of Engineer-in-charge.				
	GF	59.894	sqm	1,153.62	0,69,094.63
24	Fixing vitrified tiles in stairs (Printed Series) skirting and risers of stepson 12 mm thick cement plaster (1:3) jointed with neat cement slurry mixed with pigments to matche shade of the tiles including rubbing and polishing complete as per direction of Engineer-in-charge				
	GF	5.700	sqm	1,311.66	0,7,476.46
	Subtotal (A)			Rs.	13,45,344.46
	(Rupees Thirteen Lakhs Fourty Five Thousand Three Hundred Forty One Only)				

Rupees Thirteen Lakhs fifty two thousand /
 Five hundred eighty eight /
 only.

13,52,578.66

13,52,578.00


 Junior Engineer
 Chandballi Block


 Asst. Exe. Engineer
 Chandballi Block


 Block Development Officer
 Chandballi Block


 Addl. Executive Officer (Tech.)
 Zilla Parishad, Bhadrak