

**BOQ of Construction of MPCC Building at W.No.-16 in Basudevpur Municipality Block-
Basudevpur, Dist-Bhadrak**

SI.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)
PART-A (CIVIL)					
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification	15.800	Cum.	270.89	4280
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc	21.280	Cum.	1,240.15	26390
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance	7.390	Cum.	5,770.33	42643
4	Cement Concrete (1:2:4) with 12 mm size broken hard granite chips for R.C.C. works including hoisting and	0.070	Cum.	8,528.42	597
5	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and royalty of materials curing etc.	6.050	Cum.	5,727.93	34654
6	1" thick D.P.C with C.C(1:2:4) using 12mm. Chips etc. complete as per	8.450	Sqm.	362.50	3063
7	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out				
	(i) Ground Floor	17.310	Cum.	5,761.26	99727
	(i) 1stFloor	17.520	Cum.	6,132.04	107433
	(i) 2nd Floor	8.460	Cum.	6,558.43	55484
8	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement) as per direction of Engineer-in-charge.				
	i Column Footing / Pile Cap				
	(i) Ground Floor	5.670	Cum.	7,596.84	43074
	ii Plinth Beam				
	(i) Ground Floor	2.160	Cum.	7,596.84	16409
	iii Beam & Column				
	(i) Ground Floor	7.240	Cum.	15,858.95	114819
	(i) 1stFloor	5.810	Cum.	18,164.97	105538
	(i) 2nd Floor	1.490	Cum.	20,991.73	31278
	iv 65mm avg. Chajja				

	(i)	Ground Floor	1.500	Cum.	1,225.87		1839
	(i)	1stFloor	8.400	Cum.	1,420.62		11933
	v	Roof Slab					
	(i)	Ground Floor	7.800	Cum.	13,743.19		107197
	(i)	1stFloor	6.190	Cum.	15,562.61		96333
	(i)	2nd Floor	2.200	Cum.	17,790.87		39140
	vi	Lintel					
	(i)	Ground Floor	1.090	Cum.	14,329.85		15620
	(i)	1stFloor	1.260	Cum.	16,284.03		20518
	vii	Stairs					
	(i)	GroundFloor	2.010	Cum.	15,736.73		31631
	(i)	1stFloor	2.350	Cum.	18,014.46		42334
9		Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete	24	nos	4,701.55		112837
10		Supplying, fitting and placing uncoated HYSD bar reinforcement as per drawing and technical specification including cost, conveyance and all taxes of steel and binding wire etc. complete as per direction of Engr-in-Charge.					
	(i)	Ground Floor	33.330	Qtl	9,036.60		301190
	(i)	1st Floor	16.100	Qtl	9,069.36		146017
	(i)	2nd Floor	2.800	Sqm	9,103.76		25491
11		12mm cement plaster in cement mortar (1:6) including necessary scaffolding					
	(i)	Ground Floor	109.660	Sqm	195.86		21478
	(i)	1st Floor	91.960	Sqm	203.49		18713
	(i)	2nd Floor	33.600	Sqm	203.49		6837
12		16mm thick cement plaster in cement mortar (1:6) including necessary					
	(i)	Ground Floor	121.380	Sqm	280.35		34029
	(i)	1st Floor	118.520	Sqm	287.20		34039
	(i)	2nd Floor	36.820	Sqm	294.26		10835
13		20 mm thick grading plaster in cm(1:4) on roof slab					
	(i)	1st Floor	54.760	Sqm	317.62		17393
	(i)	2nd Floor	22.050	Sqm	329.61		7268
14		6 mm thick ceiling plaster in cm(1:4)					
	(i)	Ground Floor	46.510	Sqm	214.26		9965
	(i)	1st Floor	71.310	Sqm	219.62		15661
	(i)	2nd Floor	20.140	Sqm	225.14		4534

15	2.5cm. thick A.S.Flooring with C.C.1:2:4 using 12mm. size HBG crusher broken chips including punning, cost, conveyance and royalty of materials, curing etc. complete as per direction of Engg. in-charge.					
	(i)	Ground Floor	46.760	Sqm	428.60	20041
	(i)	1st Floor	55.000	Sqm	442.58	24342

17 Cement punning including cost, conveyance of cement and curing etc.

	(i)	Ground Floor	7.440	Sqm	59.44	442
18.	Wall Priming one coats on new work with wall water bound primer of					
	(i)	Ground Floor	264.550	Sqm	76.72	20296
	(i)	1st Floor	281.790	Sqm	78.54	22132
	(i)	2nd Floor	70.420	Sqm	80.42	5663
19.	Wall painting two coats on new work with Distemper of approved shade etc. complete as per direction of Engg. in-charge.					
	(i)	Ground Floor	221.450	Sqm	107.55	23817
	(i)	1st Floor	189.830	Sqm	110.75	21024
	(i)	2nd Floor	36.820	Sqm	112.94	4158
20.	Wall painting two coats on new work with Weather coat paint of approved					
	(i)	Ground Floor	72.760	Sqm	97.19	7071
	(i)	1st Floor	91.960	Sqm	99.24	9126
	(i)	2nd Floor	33.600	Sqm	104.23	3502
21.	Supplying and fixing of steel M.S. grill with all fitting and fixtures including cost of cutting holes in the brick masonry and R.C.C. columns and					
	(i)	Ground Floor	245.745	Kg.	99.37	24420
	(i)	1st Floor	715.050	Kg.	99.37	71055
	(i)	2nd Floor	45.000	Kg.	99.37	4472
22	Emel Painting two coats with enamel paint over one coat of primer of					
	(i)	Ground Floor	16.200	Sqm	330.62	5356
	(i)	1st Floor	54.600	Sqm	346.08	18896
	(i)	2nd Floor	4.050	Sqm	348.11	1410
23	Fixing Floor tiles in floors, treads or steps and landings on 25 mm thick CM (1:1) jointed with neat cement slurry mixed with pigments to match the shades including cost for rubbing,					
	(i)	Ground Floor	6.240	Sqm.	907.26	5661

15	2.5cm. thick A.S.Flooring with C.C.1:2:4 using 12mm. size HBG crusher broken chips including punning, cost, conveyance and royalty of materials curing etc. complete as per					
	(i)	Ground Floor	46.760	Sqm	428.60	20041
	(i)	1stFloor	55.000	Sqm	442.58	24342
17	Cement punning including cost, conveyance of cement and curing etc.					
	(i)	Ground Floor	7.440	Sqm	59.44	442
18.	Wall Priming one coats on new work with wall water bound primer of					
	(i)	Ground Floor	264.550	Sqm	76.72	20296
	(i)	1stFloor	281.790	Sqm	78.54	22132
	(i)	2nd Floor	70.420	Sqm	80.42	5663
19.	Wall painting two coats on new work with Distemper of approved shade etc. complete as per direction of Engg. in					
	(i)	Ground Floor	221.450	Sqm	107.55	23817
	(i)	1stFloor	189.830	Sqm	110.75	21024
	(i)	2nd Floor	36.820	Sqm	112.94	4158
20.	Wall painting two coats on new work with Weather coat paint of approved					
	(i)	Ground Floor	72.760	Sqm	97.19	7071
	(i)	1stFloor	91.960	Sqm	99.24	9126
	(i)	2nd Floor	33.600	Sqm	104.23	3502
21.	Supplying and fixing of steel M.S. grill with all fitting and fixtures including cost of cutting holes in the brick masonry and R.C.C. columns and					
	(i)	Ground Floor	245.745	Kg.	99.37	24420
	(i)	1stFloor	715.050	Kg.	99.37	71055
	(i)	2nd Floor	45.000	Kg.	99.37	4472
22	Emel Painting two coats with enamel paint over one coat of primer of					
	(i)	Ground Floor	16.200	Sqm	330.62	5356
	(i)	1stFloor	54.600	Sqm	346.08	18896
	(i)	2nd Floor	4.050	Sqm	348.11	1410
23	Fixing Floor tiles in floors, treads or steps and landings on 25 mm thick CM (1:1) jointed with neat cement slurry mixed with pigments to match the shades including cost for rubbing,					
	(i)	Ground Floor	6.240	Sqm.	907.26	5661

24	Fixing Ceramic Glazed wall tiles in dados skirting and risers of stepson 12 mm thick cement plaster(1:3) jointed with neat cement slurry mixed with pigments to matche shade of the tiles					
	(i) Ground Floor	13.000	Sqm.	1,008.76		13114
25	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials					
	i Ground Floor	7.440	Sqm.	209.01		1555
26	Providing and fixing 37 mm thick factory made PVC door shutter, styles and rails made of PVC hollow section of size 100 mm x 37 mm with wall thickness 2 mm (± 0.2 mm), with inbuilt bead on one side, styles and rails mitered cut and joint at the corners by means of 2 nos of plastic brackets of size 75 mm x 220 mm at each corner and stainless steel screws, reinforcing the hinge side of style by inserting PVC profile of size 28 mm x 30 mm, with wall thickness 2 mm (± 0.2 mm). Lockrail of size 100 mm x 37 mm, wall thickness 2 mm (+ 0.2 mm) will be fixed to the vertical styles. Providing with PVC snapfit beads and panel of size 100 mm x 20 mm, and inserting 2 nos tie bar of 6 mm dia and fastening with nuts and washers complete, all as per manufacturer's specification and					
	i	3.150	Sqm.	4,979.45		15685
27	Supplying,fitting & fixing of stainless steel of 304 grade in Hand Railing using 50mm. Dia of 2mm. thick circular pipe with Balustrade of size 32mm.x32mm.x2mm. @ 0.90m. C/C and stainless square pipe bracing of size 32mm.x32mm.x2mm. In 3 rows in stair case as per approved design and specification, buffing, polishing etc. with	17.500	Rmt	3,589.59		62818
		Subtotal (A)		Rs.		2204276

(Rupees Twenty two lakh four thousand two hundred seventy six) only


Block Development Officer
Basudevpur


20.11.24
Asst. Executive Engineer
Basudevpur Block


30.07.25
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

2 of Construction of MPCC Building at W.No.-11 in Basudevpur Municipality Block-
Basudevpur, Dist-Bhadrak

Sl.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT (Rs.)
PART-A (CIVIL)					
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification	15.800	Cum.	270.89	4280
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc	21.280	Cum.	1,240.15	26390
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance	7.390	Cum.	5,770.33	42643
4	Cement Concrete (1:2:4) with 12 mm size broken hard granite chips for R.C.C. works including hoisting and	0.070	Cum.	8,528.42	597
5	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost, conveyance and royalty of materials curing etc.	6.050	Cum.	5,727.93	34654
6	1" thick D.P.C with C.C(1:2:4) using 12mm. Chips etc. complete as per	8.450	Sqm.	362.50	3063
7	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out				
		17.310	Cum.	5,761.26	99727
	(i) Ground Floor	17.520	Cum.	6,132.04	107433
	(i) 1st Floor	8.460	Cum.	6,558.43	55484
	(i) 2nd Floor				
8	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of				
	i Column Footing / Pile Cap				
	(i) Ground Floor	5.670	Cum.	7,596.84	43074
	ii Plinth Beam				
	(i) Ground Floor	2.160	Cum.	7,596.84	16409
	iii Beam & Column				
	(i) Ground Floor	7.240	Cum.	15,858.95	114819
	(i) 1st Floor	5.810	Cum.	18,164.97	105538
	(i) 2nd Floor	1.490	Cum.	20,991.73	31278
	iv 65mm avg. Chajja				
	(i) Ground Floor	1.500	Cum.	1,225.87	1839

v	(i)	1st Floor	8.400	Cum.	1,420.62	11933
v		Roof Slab				
	(i)	Ground Floor	7.800	Cum.	13,743.19	107197
	(i)	1st Floor	6.190	Cum.	15,562.61	96333
	(i)	2nd Floor	2.200	Cum.	17,790.87	39140
vi		Lintel				
	(i)	Ground Floor	1.090	Cum.	14,329.85	15620
	(i)	1st Floor	1.260	Cum.	16,284.03	20518
vii		Stairs				
	(i)	Ground Floor	2.010	Cum.	15,736.73	31631
	(i)	1st Floor	2.350	Cum.	18,014.46	42334
9		Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting.	24	nos	4,701.55	112837
10		Supplying, fitting and placing uncoated HYSD bar reinforcement as per drawing and technical specification including cost, conveyance and all taxes of steel and binding wire etc. complete as per direction of Engg-in-Charge.				
	(i)	Ground Floor	33.330	Qtl	9,036.60	301190
	(i)	1st Floor	16.100	Qtl	9,069.36	146017
	(i)	2nd Floor	2.800	Sqm	9,103.76	25491
11		12mm cement plaster in cement mortar (1:6) including necessary scaffolding				
	(i)	Ground Floor	109.660	Sqm	195.86	21478
	(i)	1st Floor	91.960	Sqm	203.49	18713
	(i)	2nd Floor	33.600	Sqm	203.49	6837
12		16mm thick cement plaster in cement mortar (1:6) including necessary				
	(i)	Ground Floor	121.380	Sqm	280.35	34029
	(i)	1st Floor	118.520	Sqm	287.20	34039
	(i)	2nd Floor	36.820	Sqm	294.26	10835
13		20 mm thick grading plaster in cm(1:4) on roof slab				
	(i)	1st Floor	54.760	Sqm	317.62	17393
	(i)	2nd Floor	22.050	Sqm	329.61	7268
14		6 mm thick ceiling plaster in cm(1:4)				
	(i)	Ground Floor	46.510	Sqm	214.26	9965
	(i)	1st Floor	71.310	Sqm	219.62	15661
	(i)	2nd Floor	20.140	Sqm	225.14	4534

5cm. thick A.S.Flooring with C.C.1:2:4 using 12mm. size HBG crusher broken chips including punning, cost, conveyance and royalty of materials curing etc. complete as per						
(i)	Ground Floor	46.760	Sqm	428.60		20041
(i)	1st Floor	55.000	Sqm	442.58		24342
7 Cement punning including cost, conveyance of cement and curing etc.						
(i)	Ground Floor	7.440	Sqm	59.44		442
8. Wall Priming one coats on new work with wall water bound primer of						
(i)	Ground Floor	264.550	Sqm	76.72		20296
(i)	1st Floor	281.790	Sqm	78.54		22132
(i)	2nd Floor	70.420	Sqm	80.42		5663
9. Wall painting two coats on new work with Distemper of approved shade etc. complete as per direction of Engg. in						
(i)	Ground Floor	221.450	Sqm	107.55		23817
(i)	1st Floor	189.830	Sqm	110.75		21024
(i)	2nd Floor	36.820	Sqm	112.94		4158
10. Wall painting two coats on new work with Weather coat paint of approved						
(i)	Ground Floor	72.760	Sqm	97.19		7071
(i)	1st Floor	91.960	Sqm	99.24		9126
(i)	2nd Floor	33.600	Sqm	104.23		3502
11. Supplying and fixing of steel M.S. grill with all fitting and fixtures including cost of cutting holes in the brick masonry and R.C.C. columns and						
(i)	Ground Floor	245.745	Kg.	99.37		24420
(i)	1st Floor	715.050	Kg.	99.37		71055
(i)	2nd Floor	45.000	Kg.	99.37		4472
22 Eamel Painting two coats with enamel paint over one coat of primer of						
(i)	Ground Floor	16.200	Sqm	330.62		5356
(i)	1st Floor	54.600	Sqm	346.08		18896
(i)	2nd Floor	4.050	Sqm	348.11		1410
23 Fixing Floor tiles in floors, treads or steps and landings on 25 mm thick CM (1:1) jointed with neat cement slurry mixed with pigments to match the shades including cost for rubbing,						
(i)	Ground Floor	6.240	Sqm.	907.26		5661

	ixing Ceramic Glazed wall tiles in dados skirting and risers of stepson 12 mm thick cement plaster(1:3) jointed with neat cement slurry mixed with pigments to matche shade of the tiles					
	(i) Ground Floor	13.000	Sqm.	1,008.76		13114
25	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials					
	i Ground Floor	7.440	Sqm.	209.01		1555
26	Providing and fixing 37 mm thick factory made PVC door shutter, styles and rails made of PVC hollow section of size 100 mm x 37 mm with wall thickness 2 mm (± 0.2 mm), with inbuilt bead on one side, styles and rails mitered cut and joint at the corners by means of 2 nos of plastic brackets of size 75 mm x 220 mm at each corner and stainless steel screws, reinforcing the hinge side of style by inserting PVC profile of size 28 mm x 30 mm, with wall thickness 2 mm (± 0.2 mm). Lockrail of size 100 mm x 37 mm, wall thickness 2 mm (+ 0.2 mm) will be fixed to the vertical styles. Providing with PVC snapfit beads and panel of size 100 mm x 20 mm, and inserting 2 nos tie bar of 6 mm dia and fastening with nuts and washers complete, all as per manufacturer's specification and					
	i	3.150	Sqm.	4,979.45		15685
27	Supplying,fitting & fixing of stainless steel of 304 grade in Hand Railing using 50mm. Dia of 2mm. thick circular pipe with Balustrade of size 32mm.x32mm.x2mm. @ 0.90m. C/C and stainless square pipe bracing of size 32mm.x32mm.x2mm. In 3 rows in stair case as per approved design and specification,buffing,polishing etc. with	17.500	Rmt	3,589.59		62818
		Subtotal (A)		Rs.		2204276

₹ Twenty two lakh four thousand Two Hundred seventy six) 00/100

Handwritten signature
28.11.24

Handwritten signature
Block Development Officer
Basudevpur

Handwritten signature
Asst. Executive Engineer
Basudevpur Block

Handwritten signature
30.11.24
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

**BOQ of Construction of MPCC Building at Alabaga in Brahman gaon GP Block-
Basudevpur, Dist-Bhadrak**

DESCRIPTION		QTY	UNIT	RATE	AMOUNT (Rs.)
PART-A (CIVIL)					
1	Foundation excavation in Earth work in hard soil within 50m. Initial lead and 1.5m initial lift including rough dressing and breaking clods to maximum 5cm to 7cm and laying in layer not exceeding 0.3m in depth and as per specification	15.800	Cum.	270.89	4280
2	Filling foundation and plinth with sand and well watered and rammed including cost, conveyance and royalty etc	21.280	Cum.	1,240.15	26390
3	Cement concrete (1:3:6)with 40mm size CBHG metal including cost, conveyance	7.390	Cum.	5,770.33	42643
4	Cement Concrete (1:2:4) with 12 mm size broken hard granite chips for R.C.C. works including hoisting and	0.070	Cum.	8,528.42	597
5	Fly Ash Brick masonry in c.m. 1:6 in F & P including cost,conveyance and rovaltv of materials curing etc.	6.050	Cum.	5,727.93	34654
6	1" thick D.P.C with C.C(1:2:4) using 12mm. Chips etc. cpmplete as per	8.450	Sqm.	362.50	3063
7	1st class Fly Ash brick masonry work in superstructure thoroughly soaked in water, with cement mortar (1:6) including scaffoldings ,racking out	17.310	Cum.	5,761.26	99727
	(i) Ground Floor	17.520	Cum.	6,132.04	107433
	(i) 1stFloor	8.460	Cum.	6,558.43	55484
	(i) 2nd Floor				
8	Providing and Laying reinforcement Cement concrete (M-20) with 20 mm and down graded chips including cost all materials,labours,T & P,curing etc complete (excluding the cost of reinforcement) as per direction of Engineer-in-charge.				
	i Column Footing / Pile Cap				
	(i) Ground Floor	5.670	Cum.	7,596.84	43074
	ii Plinth Beam				
	(i) Ground Floor	2.160	Cum.	7,596.84	16409
	iii Beam & Column				
	(i) Ground Floor	7.240	Cum.	15,858.95	114819
	(i) 1stFloor	5.810	Cum.	18,164.97	105538
	(i) 2nd Floor	1.490	Cum.	20,991.73	31278
	iv 65mm avg. Chajja				
	(i) Ground Floor	1.500	Cum.	1,225.87	1839

(i)	1stFloor	8.400	Cum.	1,420.62		11933
v	Roof Slab					
(i)	Ground Floor	7.800	Cum.	13,743.19		107197
(i)	1stFloor	6.190	Cum.	15,562.61		96333
(i)	2nd Floor	2.200	Cum.	17,790.87		39140
vi	Lintel					
(i)	Ground Floor	1.090	Cum.	14,329.85		15620
(i)	1stFloor	1.260	Cum.	16,284.03		20518
vii	Stairs					
(i)	GroundFloor	2.010	Cum.	15,736.73		31631
(i)	1stFloor	2.350	Cum.	18,014.46		42334
9	Single under reamed pile foundation with RCC M20 using 25mm and down graded size black hard granite (Crusher broken) stone chips including cost of boring but excluding cost of M.S./Tor steel and labour charges for cutting, bending and binding of steel. etc. complete	24	nos	4,701.55		112837
10	Supplying,fitting and placing uncoated HYSD bar reinforcement as per drawing and technical specification including cost,conveyance and all taxes of steel and binding wire etc.complete as per direction of Engr-in-Charge					
(i)	Ground Floor	33.330	Qtl	9,036.60		301190
(i)	1st Floor	16.100	Qtl	9,069.36		146017
(i)	2nd Floor	2.800	Sqm	9,103.76		25491
11	12mm cement plaster in cement mortar (1:6)including necessary scaffolding					
(i)	Ground Floor	109.660	Sqm	195.86		21478
(i)	1st Floor	91.960	Sqm	203.49		18713
(i)	2nd Floor	33.600	Sqm	203.49		6837
12	16mm thick cement plaster in cement mortar (1:6) including necessary					
(i)	Ground Floor	121.380	Sqm	280.35		34029
(i)	1st Floor	118.520	Sqm	287.20		34039
(i)	2nd Floor	36.820	Sqm	294.26		10835
13	20 mm thick grading plaster in cm(1:4) on roof slab					
(i)	1st Floor	54.760	Sqm	317.62		17393
(i)	2nd Floor	22.050	Sqm	329.61		7268
14	6 mm thick ceiling plaster in cm(1:4)					
(i)	Ground Floor	46.510	Sqm	214.26		9965
(i)	1st Floor	71.310	Sqm	219.62		15661
(i)	2nd Floor	20.140	Sqm	225.14		4534

2.5cm. thick A.S.Flooring with C.C.1:2:4 using 12mm. size HBG crusher broken chips including punning, cost, conveyance and royalty						
(i)	Ground Floor	46.760	Sqm	428.60		20041
(i)	1stFloor	55.000	Sqm	442.58		24342
17 Cement punning including cost, conveyance of cement and curing etc.						
(i)	Ground Floor	7.440	Sqm	59.44		442
18. Wall Priming one coats on new work with wall water bound primer of						
(i)	Ground Floor	264.550	Sqm	76.72		20296
(i)	1stFloor	281.790	Sqm	78.54		22132
(i)	2nd Floor	70.420	Sqm	80.42		5662
19. Wall painting two coats on new work with Distemper of approved shade etc. complete as per direction of Engg in						
(i)	Ground Floor	221.450	Sqm	107.55		23817
(i)	1stFloor	189.830	Sqm	110.75		21024
(i)	2nd Floor	36.820	Sqm	112.94		4158
20. Wall painting two coats on new work with Weather coat paint of approved						
(i)	Ground Floor	72.760	Sqm	97.19		7071
(i)	1stFloor	91.960	Sqm	99.24		9126
(i)	2nd Floor	33.600	Sqm	104.23		3502
21. Supplying and fixing of steel M.S. grill with all fitting and fixtures including cost of cutting holes in the brick masonry and R.C.C. columns and						
(i)	Ground Floor	245.745	Kg.	99.37		24420
(i)	1stFloor	715.050	Kg.	99.37		71055
(i)	2nd Floor	45.000	Kg.	99.37		4472
22 Eamel Painting two coats with enamel paint over one coat of primer of						
(i)	Ground Floor	16.200	Sqm	330.62		5356
(i)	1stFloor	54.600	Sqm	346.08		18896
(i)	2nd Floor	4.050	Sqm	348.11		1410
23 Fixing Floor tiles in floors, treads or steps and landings on 25 mm thick CM (1:1) jointed with neat cement slurry mixed with pigments to match the shades including cost for rubbing,						
(i)	Ground Floor	6.240	Sqm.	907.26		5661

	Fixing Ceramic Glazed wall tiles in glazed skirting and risers of stepson 12 mm thick cement plaster(1:3) jointed with neat cement slurry mixed with pigments to match shade of the tiles					
(i)	Ground Floor	13.000	Sqm.	1,008.76	13114	✓
25	12mm. thick cement plaster in c.m. 1:4 over brick masonry including cost conveyance and royalty of materials					
i	Ground Floor	7.440	Sqm.	209.01	1555	✓
26	Providing and fixing 37 mm thick factory made PVC door shutter, styles and rails made of PVC hollow section of size 100 mm x 37 mm with wall thickness 2 mm (± 0.2 mm), with inbuilt bead on one side, styles and rails mitered cut and joint at the corners by means of 2 nos of plastic brackets of size 75 mm x 220 mm at each corner and stainless steel screws, reinforcing the hinge side of style by inserting PVC profile of size 28 mm x 30 mm, with wall thickness 2 mm (± 0.2 mm). Lockrail of size 100 mm x 37 mm, wall thickness 2 mm (+ 0.2 mm) will be fixed to the vertical styles. Providing with PVC snapfit beads and panel of size 100 mm x 20 mm, and inserting 2 nos tie bar of 6 mm dia and fastening with nuts and washers complete, all as per manufacturer's specification and					
i		3.150	Sqm.	4,979.45	15685	✓
27	Supplying, fitting & fixing of stainless steel of 304 grade in Hand Railing using 50mm. Dia of 2mm. thick circular pipe with Balustrade of size 32mm.x32mm.x2mm. @ 0.90m. C/C and stainless square pipe bracing of size 32mm.x32mm.x2mm. In 3 rows in stair case as per approved design and specification, buffing, polishing etc. with	17.500	Rmt	3,589.59	62818	✓
		Subtotal (A)		Rs.	2204276	✓

Rupees Twenty Two Lakhs Four
Thousand Two Hundred Seventy Six only

S.K.S.
Block Development Officer
Basudevpur

Anish
20.11.24
Asst. Executive Engineer
Basudevpur Block

D. Ball
20/11/24

[Signature]
30.09.23
Addl. Executive Officer(Tech.)
Zilla Parishad, Bhadrak

17.500 Rmt 3,589.59