

OFFICE OF THE PRINCIPAL KALPATARU SANSKRIT MAHAVIDYALAYA,  
AT-BANSIPATNA, PO/VIA-BASUDEVPUR, DIST- BHADRAK  
Pin code-756125, phone-9040401466.

Notice No. 148/25 Date. 30.08.2025

### SHORT TENDER CALL NOTICE

Office of the principal, KALPATARU SANSKRIT MAHAVIDYALAYA BASUDEVPUR bhadrak, odisha, invites sealed tenders in the prescribed form (as annexed ) from the reputed Authorized Dealer/Chanel partner /Sole Selling Agents/ Stockiest/for supply & installation of 6 no's OF desktop, 6 no's ups, 2 no's printers, 1 no's of TV, 1 NO'S Camera and internet work as per proposed guidelines specifications annexure-c of IT equipments at KALPATARU SANSKRIT MAHAVIDYALAYA BASUDEVPUR of Bhadrak District. As per the govt. sanction order No.12655 dt. 05.03.2025 of the Department of Higher Education, ODISHA. Bhubaneswar .The details regarding the tender (Brand, Brief Specification etc.) may be downloaded from the District website of Bhadrak <https://bhadrak.odisha.gov.in/> & college website respectively. The tender paper complete in all respect should be submitted to THE PRINCIPAL KALPATARU SANSKRIT MAHAVIDYALAYA, AT-BANSIPATNA, PO-BASUDEVPUR, DIST- BHADRAK, Pin-756125, The tender paper should reach this office through Registered Post/Speed Post/currier latest by 06.09.2025.

Date of commencement of sale of the tender documents: 30.08.2025

Last date and time of the receipt of Tender: 06.09.2025.

Date and time of opening of Tender: 08.09.2025 . 3PM .

Place of opening of Tender: KALPATARU SANSKRIT MAHAVIDYALAYA

The authority has every right to reject the advertisement without assigning the reasons thereof. Annexure : A,B&C.

PRINCIPAL

KALPATARU SANSKRIT MAHAVIDYALAYA

  
Principal-Cum-Secretary  
Kalpataru Sanskrit Mahavidyalaya  
Bansipatana, Basudevpur, Bhadrak

**INVITED FOR TENDER**

**BID DOCUMENT FOR UPGRADING THEIR IT INFRASTRUCTURE BY PROCURING DESKTOP COMPUTERS, UNINTERRUPTIBLE POWER SUPPLY (UPS) SYSTEMS, MULTIFUNCTION PRINTER (MFP), LED TV 65", WIRELESS MIC CAMERAS FOR VIRTUAL MEETING & INTERNET FACILITIES  
THE PRINCIPAL KALPATARU SANSKRIT MAHAVIDYALAYA, AT-BANSIPATNA, PO-BASUDEVPUR, DIST- BHADRAK, Pin code-756125, phone-9040401466,**

- |  |            |
|--|------------|
| 1. Terms & Conditions                          | Annexure-A |
| 2. Tender Application Format/Details of Bidder | Annexure-B |
| 3. List of Items (Specification details)       | Annexure-C |

**PRINCIPAL**

**KALPATARU SANSKRIT MAHAVIDYALAYA**

  
**Principal-Cum-Secretary  
Kalpataru Sanskrit Mahavidyalaya  
Bansipatana, Basudevpur, Bhadrak**

**TERMS & CONDITIONS.**

- 1 The intending bidders may apply for in our prescribed Performa/ format by downloading bid form and documents from the website <https://bhadrak.odisha.gov.in/> & college website respectively
- 2 The quotationer shall furnish the true copy of the authorized dealer / partner certificates
- 3

The interested firms are advised to submit the envelope containing the quotation/ tender should be properly sealed (preferably wax/ cello tape seal) and super scribed as "Sealed tender against Tender Call Notice No 148/25 Dated 30.08.25 FOR "SUPPLY & INSTALLATION OF COMPUTER AND IT EQUIPMENTS" to THE PRINCIPAL KALPATARU SANSKRIT MAHAVIDYALAYA, AT-BANSIPATNA, PO-BASUDEVPUR, DIST- BHADRAK

- 4 If the envelope containing the quotation is not sealed and marked as above, the undersigned will assume no responsibility for its misplacement or premature opening.
- 5 The sealed documents shall be opened at the KALPATARU SANSKRIT MAHAVIDYALAYA, AT-BANSIPATNA On 08.09.2025 at 3 PM. In presence of bidder or their authorized representatives and Purchase Committee. In case of any unavoidable circumstances, if the Tender could not be opened on the scheduled date, then the rescheduled date will be fixed & notified as per decision of the authority.
- 6 Only Registered post/Speed post/currier quotation will be allowed and the authority shall not be responsible for any type of postal delay. Conditional/Incomplete quotations are liable for rejection.
- 7 The intending bidder should submit an affidavit that his/her firm has not been black listed by any Govt. organization.
- 8 Model/Specification and Price should be clearly maintained by the bidder in the rate quoted format.
- 9 The Specification/configuration mentioned in Annexure-C may be same or higher. If the vender/bidder will apply in lower specification of the tender, those vendors will be summarily rejected.
- 10 Please enclose your valid up-to-date GSTIN No., PAN Card No. and ITR/TDS clearance certificate. If selected, then the supplier has to submit every document needed by this office for payment.
- 11 The bidder must submit guarantee and warranty for minimum period 3 years of Desktop Computer, MFD/MFPs 1 years and 2 years of Battery for 600VA offline UPSs.
- 12 The Bidders/Vendors are requested to highlight/underline the specifications in the Technical Brochure as per the specification.
- 13 Quoted price should include cost of items/equipments/services, installation commissioning, transportation to designated location, maintenance cost for OEM warranty periods and taxes/duties etc.
- 14 The Authority reserves the right to negotiate with the successful bidders only.

  
Principal-Cum-Secretary  
Kalpataru Sanskrit Mahavidyalaya  
Bansipatana, Basudevpur, Bhadrak

- 15 Any difference or variations in the brand name or specification other than our specification should not be entertained.
- 16 Tender(s) without appropriate EMD will be rejected at the spot of opening of the tender and no reconsideration will be made.
- 17 BIDDERS SUBMIT THE EXPERIENCE OF EXECUTION OF SIMILAR WORK COPY.
- 18 The date of delivery mentioned in order should be strictly adhered, the office reserves the right not to accept the delivery in part or full and to claim the liquidated damages/Penalty at 1% per week or part thereof subject to a maximum of 10% of the total value of the supply order which may be deducted from the final bill.
- 19 The rate quoted for items should be inclusive of all taxes, installation charges and transportation charges.
- 20 The EMD(refundable) Rs.5000/-,Tender paper cost (Non-refundable) is Rs.500/- shall be deposited in shape of Bank Draft drawn on any Nationalised Bank in favour of KALPATARU SANSKRIT MAHAVIDYALAYA, payable at basudevpur ,bhadrak.
- 21 EMD will be returned after completion of 60 DAYS to the vendor through account payee cheque without interest.
- 22 EMD will be forfeited if the vendor fails the terms and condition.
- 23 Payment will be released after submission of delivery certificate, PDI, Installation Certificate, Stock entry Certificate.
- 24 In event of any dispute, the matter shall be finalised/settled within the jurisdiction of the Bhadrak.
- 25 Submit last 2 years audited financial statements.
- 26 Supply and Execution of minimum Rs.10 lakhs in a single order of Computer / Networking Work.

**Seal & Full Signature of the Applicant**

**Place:**

**Date:**

Signature & seal of the bidder

**PRINCIPAL,**

KALPATARU SANSKRIT MAHAVIDYALAYA,

  
**Principal-Cum-Secretary  
Kalpataru Sanskrit Mahavidyalaya  
Bansipatana, Basudevpur, Bhadrak**

**CHECK LIST**

<b>SL NO</b>	<b>Description</b>	<b>Start page</b>	<b>End page</b>	<b>Total page</b>
01	TENDER COST INSHAP OF BANK DRAFT.			
02	SELF ATTESTED COPY OF GST REGISTRATION CERTIFICATE.			
03	SELF ATTESTED COPY OF PAN CARD			
04	SELF ATTESTED COPY OF LAST INCOME TAX RETURN 24-25			
05	SELF ATTESTED COPY OF AUTHORIZATION CERTIFICATE			
06	SELF ATTESTED COPY OF BIDDER'S PROFILE			
07	COPY OF BROCHURE IN SUPPORT OF TECHNICAL SPECIFICATION OF EQUIPMENT			
08	SELF-DICLARATION FOR NON-BLACKLISTING COPY			
09	EXPERIENCE OF EXECUTION OF SIMILAR WORK.			
10	PRICE SCHEDULE			

Signature &amp; seal of the bidder

**PRINCIPAL,**

KALPATARU SANSKRIT MAHAVIDYALAYA



Principal-Cum-Secretary  
Kalpataru Sanskrit Mahavidyalaya  
Bansipatana, Basudevpur, Bhadrak

ANNEXURE - C

**Quantities and Specifications of IT items to be purchased**

Sl.No	Non-Govt. Aided Colleges	Nos of College	Amount to be released (in lakhs)	Detail calculation	Total Amount (in lakhs)
1	No of No Govt. Aided Colleges having student's strength more than 750	199	8	1. I3 and above Desktop @50000*12=6 Lakh 2. UPS@3000*12=36000 lakh 3. MFM Printer@30000 *2=60000 4. 1 LED Tv (65 inch) @0.70= 70000 5. Wireless mice & Camera for Virtual meeting = 25000 6. Internet Facility:-20,000/- <b>Total=8.11 Lakh</b>	1592
2	No of Non-Govt. Aided Colleges having student's strength less than 750	449	4.5	1. I3 and above Desktop @50000*6=3.0 Lakh 2. UPS@3000*6=18000 l 3. MFM Printer@30000*2=0.60 Lakh 4. 1 LED Tv(65 inch)@70000=.70 Lakh 5. Wire less Mice & Camera with MIC for Virtual meeting = 25000 6. Internet facility=20000 <b>Total =4.93 Lakh</b>	2020.5
		648			3612.5

  
**Principal-Cum-Secretary**  
**Kalpataru Sanskrit Mohavidyalaya**  
**Bansipatana, Basudevpur, Bhadrak**

## Desktop Specification

Items	Specification
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)
Chipset Number	Intel H670/Intel® H770 or higher Chipset
Processor Make	Intel
Processor	x86 64-bit architecture
Processor Generation	13 Or higher
Processor Description	Intel Core i3 or higher
Processor Number	Intel Core i3 13100 or higher
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher
Operating System	Windows 11 Home Factory Preloaded
RAM Size (GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIMM Slots)
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher
Integrated Graphics	Intel UHD Graphics 770 or higher
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes
Type of Drives used to populate the Internal Bays	NVMe SSD
Total HDD Capacity (GB)	NA
Total SSD Capacity (GB)	512GB NVMe SSD
Optical Drive	Optional
Drive Bays	Two 3.5" (2.5") HDD
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD
LAN	LAN: Integrated 10/100/1000M
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0
Firmware Trusted Platform Module	TPM 2.0
Hardware Security lock slot	Security lock slot
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency
Certification	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required.
	OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate
	Microsoft Windows, Energy star 8.0 certified
	Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.
Keyboard Mouse	USB Keyboard; USB Optical Mouse
Monitor	19.5" LED Display with CTO Certified and same must be belongs to the same OEM
Years of Warranty	3 Year Onsite Warranty

  
**Principal-Cum-Secretary**  
**Kalpataru Sanskrit Mohavidyalaya**  
**Bansipatana Rasidra Chadrak**

600 VA Line Interactive UPS Specifications		
Sl. No.	Feature	General Specifications
1	UPS Capacity (total)	600VA/360W
2	Input Voltage	230 VAC nominal
3	Input Frequency	45 – 65 Hz
4	Brownout Transfer	145 VAC typical
5	Over-voltage Transfer	290 VAC typical
6	Voltage on Battery	230 VAC typical (stepped approximated sine wave)
7	Frequency – On Battery	50Hz typical
8	Transfer Time	@50 Hz 6 ms typical, 10 ms max
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also
13	AC Surge Protection	Full time, 160 joules
14	Automatic Re start of UPS	In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference
15	Type (maintenance-free)	12V, 7.2 Ah
16	Typical recharge time	4-6 hours
17	Operating Temperature	0°C to 40°C
18	Storage Temperature	-15°C to 45°C
19	3 power outlets	With battery backup and surge protection
20	Power Cord	1.2 meters
21	Runtime for Single PC load (60W ± 15W)	27 min (normal mode)
22	Runtime for Workstation PC (100W ± 15W)	13 min (normal mode)
23	Battery Saver (to save on battery life)	Thru toggle button on front panel
24	Certification	BIS
25	Designed and Manufactured in India	Yes
26	Warranty	2years

  
**Principal-Cum-Secretary**  
**Kalpitaru Sanskrit Mohavidyalaya**  
**Bansipatana, Basudevpur, Bhadrak.**

Generic	
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibility	Windows 10 and Above, Linux, Mac OS, Windows Server
Printing	
Print Paper Size	A4 and Legal
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	26 to 30
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	Yes
Scanning	
Maximum Scan Area (Platen/Flatbed Size)	A4 and Legal
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	11 to 20
Scan To Functions	Email
A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi	11 to 20
COPYING	
Reduction and Enlargement Feature	Yes

  
**Principal-Cum-Secretary**  
**Kalpataru Sanskrit Mohavidyalaya**  
**Bansipatana, Basudevpur, Bhadrak**

PAPER HANDLING	
Original Document Feeder Type (For Scanning and Copying)	Automatic Document Feeders (ADF)
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	31 to 40
Number of Main Paper Tray	1
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200
Bypass Tray Facility	No
If Yes, Bypass Tray Capacity	0
Connectivity	
Connectivity	USB Port, Ethernet Port, Wi-Fi
Accessories Provided	USB Cable
Performance	
Minimum Yield of the Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)	700
Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)	0
Minimum Duty Cycle (Number of Prints/Month)	10,001 to 20,000
POWER	
Power Supply	Single Phase AC 220 - 240 V, 50 - 60 Hz
Maximum Power Consumption (in Watt)	1300
Environmental	
Minimum Operating Temperature (Degree C)	10
Maximum Operating Temperature (Degree C)	30

*[Signature]*  
Principal-Cum-Secretary  
Kalpataru Sanskrit Mohavidyalaya  
Bansipatana, Basudevpur, Bhadrak

Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
Dimension	
Standard Machine Weight with Single Tray (in Kg)	11
Certification	
BIS CRS Compliance	Yes as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes

  
**Principal-Cum-Secretary**  
**Kalpataru Sanskrit Mahavidyalaya**  
**Sansipatane, Basudevpur, Bhadrak**

General Features	Screen Size	65
	Brightness (cd/m <sup>2</sup> )	350Nits or better
	Contrast Ratio	1200:1
	Dynamic Contrast Ratio	400,000:1
	Response Time (ms)	8.0
	Display resolution (H x V, pixels)	3840 x 2160
	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG)
	Aspect Ratio	16:9
	Portrait/Tilt Compatibility	Yes
Display features	Dimming type	Frame Dimming
	Display Device	LCD
	Panel Type	IPS
	Backlight type	Direct LED
	Color gamut (NTSC)	69%
	Operation time	16/7
	Haze (%)	1 %
	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	178 (89/89) degree
	HDMI Signal	4096 x 2160p (24, 50, 60 Hz), 3840 x 2160p (24, 25, 30, 50, 60 Hz), 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p, 480i
Audio Specs	Speaker Position	Down Firing
	Audio Power Output	10W + 10W
Professional features	Pro settings	Yes (Simple Pro settings menu)
	HDMI auto wake-up	Yes
	Operating System	Android TV
	On-board Storage (GB)	16GB
Network Specs	RAM	3GB
	Wi-Fi Certified	Yes
	Wireless LAN	Integrated
Convenience features	USB playback codecs	MPEG1:MPEG1/MPEG2 PS:MPEG2/MPEG2 WEBM:AV1/AC4/ogg/AAC
	On Screen Clock	Yes
	Sleep Timer	Yes
	On/Off Timer	Yes
	Chromecast built-in	Yes
	Apple AirPlay	Yes
Control Specs	IP Control	Yes
	RS-232C Control	Yes
	HDMI-CEC	Yes
	HDCP	HDCP2.3 (for HDMI1/2/3)
	Composite Video Input (s)	1 (Side, Mini jack)

  
**Principal-Cum-Secretary**  
**Kalpataru Sanskrit Mahavidyalaya**  
**Bansipatana, Basudevpur, Bhadrak**

Inputs and outputs	HDMI inputs total	3 (3Side)
	Analog Audio Input (s) (Total)	1 (Side Analog Conversion)
	Digital Audio Output (s)	1 (Side)
	USB ports	2 (Side)
	Ethernet inputs	1 (Side)
Design features	VESA® Hole Pitch (W x H)	300 x 300 mm
Environment Specs	Rated Power Consumption	226W
	Power Consumption (in Standby)	0.5 W
	Dynamic Backlight Control	Yes
	Power Saving Mode / Back Light Off Mode	Yes
Measurements	Dimension of TV without Stand (W x H x D)	1462 x 842 x 71 mm
	Dimension of TV with Stand (W x H x D)	1462 x 912 x 338 mm
	Dimension of Package Carton (W x H x D)	1588 x 965 x 184 mm
Weight	Weight of TV without Stand	20.4 kg
	Weight of TV with Stand	21.3 kg
	Weight of Package Carton (Gross)	28 kg

  
**Principal-Cum-Secretary**  
**Kalpataru Sanskrit Mohavidyalaya**  
**Bansipatana, Basudevpur, Bhadrak**

+91 8448449073 | care@industrybuying.com | Offers: GST Benefits, Become a Seller, Bulk Order, FAQs, Track Order

Shop By Category

**Industrybuying**

Search Products by title, sku, category, brand, etc.



Login



Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Share

₹24,779 (incl. of all taxes)

**₹20,999** • 15% off

MRP ₹24,999 • 8.88% off

Minimum Order Quantity: 1

Bulk Discount

Ships within 5 days

**Logitech Master Series Graphite MX Brio 4K Ultra Hd Web Camera, 960-001548**

Visit the Logitech Store

POWER BRAND

EMI starts at ₹2202/month. No Cost EMI available. EMI options



AVAILABLE OFFERS

View Offers

- Get up to ₹4,000\* on a min. order value of ₹8,499. First-time GST users only. T&C apply. [View](#)
- Get up to ₹3,500\* on a min. order value of ₹8,499. First-time B2B users only. T&C apply. [View](#)

FEATURES

More Details

Country of Origin	Switzerland
Connectivity	USB-C to USB-C Cable
Focus Type	Advanced Autofocus
Package Contains	MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation

Bulk quantity Discounts!!

Select	Quantity	Discounted price per piece (incl. of all taxes)
<input type="radio"/>	2-3	₹23,980.14
<input type="radio"/>	4-5	₹23,740.93
<input type="radio"/>	6-7	₹23,500.93
<input type="radio"/>	8-more	₹23,341.19

**ADD TO CART** **BUY NOW**

- Request a Callback
- Get Customized Price
- Connect with a Product Expert

Check Delivery Details

Enter Pincode **Check**

<b>PREPAID</b>	Available
<b>PART COD</b>	Unavailable
<b>COD</b>	Available
<b>RETURN</b>	Available Return period: 7 days



Warranty as per brand

100% Original Products

Secure payments

100% Buyer protection

Top Brands

**SPECIFICATIONS**

DESCRIPTION

Country of Origin	Switzerland
Connectivity	USB-C to USB-C Cable
Focus Type	Advanced Autofocus
Package Contains	MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation
Microphone Type	Dual Beamforming
Width	98 mm
Zoom	4x Digital Zoom
Type of Product	Web Camera
Part No	MXBRIO4KORPT
Height	44 mm
Weight	137 g
Lens Type	Glass
Interface	USB 3.0
Color	Graphite
Resolution	4K/30 fps, 1080p/60 fps
Image Sensor	8.5 MP Sony STARVIS
Model No	960-001548

Scale of Industrybuying

Call Now

NEED HELP WITH YOUR PURCHASE?

Speak with our experts

*Industrybuying*

**Principal-Cum-Secretary**  
**Kalpataru Sanskrit Mohavidyalaya**  
**Bansipatana, Basudevpur, Bhadrak**